

.308 Dia., 200 Gr. SBT

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

| RANGE METERS | MUZZLE | 50 | 100 | 150 | 200 | 250 |
|--|--------|-------|-------|--------|--------|--------|
| MAXIMUM POINT BLANK RANGE IS 170 METERS. SET ZERO AT 140 METERS. | | | | | | |
| VELOCITY FPS | 2200 | 2121 | 2043 | 1968 | 1894 | 1822 |
| ENERGY FT-LB | 2149 | 1997 | 1854 | 1720 | 1593 | 1475 |
| DROP INCHES | .00 | -1.07 | -4.45 | -10.32 | -18.87 | -30.31 |
| BULLET PATH (50 M) | -.80 | .00 | -1.51 | -5.50 | -12.18 | -21.75 |
| INCHES (100 M) | -.80 | .75 | .00 | -3.24 | -9.16 | -17.98 |
| (ZERO RANGE) (150 M) | -.80 | 1.83 | 2.16 | .00 | -4.84 | -12.58 |
| (200 M) | -.80 | 3.04 | 4.58 | 3.63 | .00 | -6.52 |
| MPBR ZERO (140 M) | -.80 | 1.61 | 1.70 | -.69 | -5.76 | -13.72 |
| WIND DRIFT (10 MPH) | .00 | .24 | .99 | 2.26 | 4.09 | 6.50 |
| INCHES (20 MPH) | .00 | .48 | 1.97 | 4.51 | 8.17 | 13.00 |

| | | | | | | |
|--|------|-------|-------|--------|--------|--------|
| MAXIMUM POINT BLANK RANGE IS 160 METERS. SET ZERO AT 135 METERS. | | | | | | |
| VELOCITY FPS | 2100 | 2023 | 1948 | 1874 | 1803 | 1735 |
| ENERGY FT-LB | 1958 | 1817 | 1684 | 1560 | 1444 | 1336 |
| DROP INCHES | .00 | -1.18 | -4.89 | -11.34 | -20.75 | -33.34 |
| BULLET PATH (50 M) | -.80 | .00 | -1.74 | -6.21 | -13.64 | -24.26 |
| INCHES (100 M) | -.80 | .87 | .00 | -3.61 | -10.17 | -19.92 |
| (ZERO RANGE) (150 M) | -.80 | 2.07 | 2.40 | .00 | -5.36 | -13.91 |
| (200 M) | -.80 | 3.41 | 5.08 | 4.02 | .00 | -7.21 |
| MPBR ZERO (135 M) | -.80 | 1.69 | 1.65 | -1.13 | -6.87 | -15.80 |
| WIND DRIFT (10 MPH) | .00 | .26 | 1.05 | 2.41 | 4.36 | 6.94 |
| INCHES (20 MPH) | .00 | .52 | 2.11 | 4.83 | 8.73 | 13.87 |

| | | | | | | |
|--|------|-------|-------|--------|--------|--------|
| MAXIMUM POINT BLANK RANGE IS 150 METERS. SET ZERO AT 125 METERS. | | | | | | |
| VELOCITY FPS | 2000 | 1925 | 1853 | 1782 | 1714 | 1648 |
| ENERGY FT-LB | 1776 | 1646 | 1524 | 1411 | 1304 | 1205 |
| DROP INCHES | .00 | -1.30 | -5.40 | -12.52 | -22.91 | -36.84 |
| BULLET PATH (50 M) | -.80 | .00 | -2.00 | -7.03 | -15.32 | -27.15 |
| INCHES (100 M) | -.80 | 1.00 | .00 | -4.03 | -11.32 | -22.15 |
| (ZERO RANGE) (150 M) | -.80 | 2.34 | 2.68 | .00 | -5.95 | -15.44 |
| (200 M) | -.80 | 3.83 | 5.66 | 4.46 | .00 | -8.00 |
| MPBR ZERO (125 M) | -.80 | 1.65 | 1.30 | -2.08 | -8.73 | -18.91 |
| WIND DRIFT (10 MPH) | .00 | .28 | 1.13 | 2.58 | 4.66 | 7.40 |
| INCHES (20 MPH) | .00 | .55 | 2.26 | 5.16 | 9.32 | 14.80 |

| | | | | | | |
|--|------|-------|-------|--------|--------|--------|
| MAXIMUM POINT BLANK RANGE IS 145 METERS. SET ZERO AT 120 METERS. | | | | | | |
| VELOCITY FPS | 1900 | 1828 | 1758 | 1691 | 1625 | 1562 |
| ENERGY FT-LB | 1602 | 1484 | 1373 | 1269 | 1173 | 1083 |
| DROP INCHES | .00 | -1.44 | -5.98 | -13.89 | -25.42 | -40.89 |
| BULLET PATH (50 M) | -.80 | .00 | -2.31 | -7.97 | -17.27 | -30.49 |
| INCHES (100 M) | -.80 | 1.15 | .00 | -4.51 | -12.65 | -24.72 |
| (ZERO RANGE) (150 M) | -.80 | 2.66 | 3.01 | .00 | -6.64 | -17.21 |
| (200 M) | -.80 | 4.32 | 6.33 | 4.98 | .00 | -8.91 |
| MPBR ZERO (120 M) | -.80 | 1.73 | 1.16 | -2.78 | -10.34 | -21.84 |
| WIND DRIFT (10 MPH) | .00 | .29 | 1.20 | 2.75 | 4.96 | 7.89 |
| INCHES (20 MPH) | .00 | .59 | 2.40 | 5.49 | 9.93 | 15.77 |

| | | | | | | |
|--|------|-------|-------|--------|--------|--------|
| MAXIMUM POINT BLANK RANGE IS 140 METERS. SET ZERO AT 115 METERS. | | | | | | |
| VELOCITY FPS | 1800 | 1731 | 1664 | 1599 | 1537 | 1477 |
| ENERGY FT-LB | 1438 | 1330 | 1229 | 1136 | 1049 | 969 |
| DROP INCHES | .00 | -1.60 | -6.67 | -15.49 | -28.37 | -45.65 |
| BULLET PATH (50 M) | -.80 | .00 | -2.67 | -9.08 | -19.55 | -34.43 |
| INCHES (100 M) | -.80 | 1.33 | .00 | -5.08 | -14.22 | -27.77 |
| (ZERO RANGE) (150 M) | -.80 | 3.03 | 3.39 | .00 | -7.45 | -19.30 |
| (200 M) | -.80 | 4.89 | 7.11 | 5.58 | .00 | -9.99 |
| MPBR ZERO (115 M) | -.80 | 1.82 | .97 | -3.62 | -12.28 | -25.34 |
| WIND DRIFT (10 MPH) | .00 | .32 | 1.29 | 2.94 | 5.32 | 8.43 |
| INCHES (20 MPH) | .00 | .63 | 2.57 | 5.89 | 10.63 | 16.87 |

| | | | | | | | |
|--------------|----------|-----|-------|--------|--------|--------|---------|
| ENERGY FT-LB | | 639 | 598 | 563 | 532 | 505 | 482 |
| DROP INCHES | | .00 | -3.66 | -15.02 | -34.57 | -62.77 | -100.09 |
| BULLET PATH | (50 M) | -80 | .00 | -6.90 | -21.98 | -45.72 | -78.58 |
| INCHES | (100 M) | -80 | 3.45 | .00 | -11.63 | -31.93 | -61.33 |
| (ZERO RANGE) | (150 M) | -80 | 7.33 | 7.76 | .00 | -16.41 | -41.94 |
| | (200 M) | -80 | 11.43 | 15.96 | 12.31 | .00 | -21.42 |
| MPBR ZERO | (75 M) | -80 | 1.64 | -3.62 | -17.07 | -39.17 | -70.39 |
| WIND DRIFT | (10 MPH) | .00 | .40 | 1.59 | 3.54 | 6.19 | 9.51 |
| INCHES | (20 MPH) | .00 | .81 | 3.19 | 7.07 | 12.38 | 19.01 |

MAXIMUM POINT BLANK RANGE IS 85 METERS. SET ZERO AT 70 METERS.

| | | | | | | | |
|--------------|----------|------|-------|--------|--------|--------|---------|
| VELOCITY FPS | | 1100 | 1071 | 1046 | 1023 | 1002 | 983 |
| ENERGY FT-LB | | 537 | 509 | 486 | 465 | 446 | 429 |
| DROP INCHES | | .00 | -4.33 | -17.70 | -40.56 | -73.32 | -116.41 |
| BULLET PATH | (50 M) | -80 | .00 | -8.24 | -25.96 | -53.59 | -91.56 |
| INCHES | (100 M) | -80 | 4.12 | .00 | -13.60 | -37.11 | -70.96 |
| (ZERO RANGE) | (150 M) | -80 | 8.65 | 9.07 | .00 | -18.98 | -48.29 |
| | (200 M) | -80 | 13.40 | 18.56 | 14.23 | .00 | -24.57 |
| MPBR ZERO | (70 M) | -80 | 1.56 | -5.12 | -21.28 | -47.35 | -83.75 |
| WIND DRIFT | (10 MPH) | .00 | .35 | 1.37 | 3.03 | 5.29 | 8.14 |
| INCHES | (20 MPH) | .00 | .70 | 2.74 | 6.06 | 10.59 | 16.27 |