

.357 Dia., 125 Gr. JSP/125 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE METERS MUZZLE 50 100 150 200 250

MAXIMUM POINT BLANK RANGE IS 170 METERS. SET ZERO AT 145 METERS.

VELOCITY FPS	2700	2341	2011	1711	1448	1243
ENERGY FT-LB	2023	1521	1122	812	581	428
DROP INCHES	.00	-.78	-3.47	-8.75	-17.61	-31.47
BULLET PATH (50 M)	-.75	.00	-1.16	-4.91	-12.25	-24.58
INCHES (100 M)	-.75	.58	.00	-3.17	-9.93	-21.68
(ZERO RANGE) (150 M)	-.75	1.64	2.11	.00	-5.70	-16.39
(200 M)	-.75	3.06	4.96	4.27	.00	-9.27
MPBR ZERO (145 M)	-.75	1.52	1.87	-.37	-6.18	-17.00
WIND DRIFT (10 MPH)	.00	.79	3.40	8.28	15.95	26.88
INCHES (20 MPH)	.00	1.58	6.81	16.56	31.90	53.75

MAXIMUM POINT BLANK RANGE IS 165 METERS. SET ZERO AT 140 METERS.

VELOCITY FPS	2600	2249	1926	1635	1384	1201
ENERGY FT-LB	1875	1403	1030	742	532	400
DROP INCHES	.00	-.84	-3.75	-9.49	-19.15	-34.25
BULLET PATH (50 M)	-.75	.00	-1.32	-5.47	-13.53	-27.05
INCHES (100 M)	-.75	.66	.00	-3.48	-10.89	-23.74
(ZERO RANGE) (150 M)	-.75	1.82	2.32	.00	-6.24	-17.94
(200 M)	-.75	3.38	5.45	4.68	.00	-10.13
MPBR ZERO (140 M)	-.75	1.56	1.80	-.79	-7.30	-19.25
WIND DRIFT (10 MPH)	.00	.84	3.60	8.77	16.88	28.27
INCHES (20 MPH)	.00	1.67	7.20	17.54	33.75	56.54

MAXIMUM POINT BLANK RANGE IS 160 METERS. SET ZERO AT 135 METERS.

VELOCITY FPS	2500	2157	1842	1561	1323	1162
ENERGY FT-LB	1734	1291	942	676	486	375
DROP INCHES	.00	-.91	-4.08	-10.33	-20.88	-37.36
BULLET PATH (50 M)	-.75	.00	-1.50	-6.09	-14.99	-29.81
INCHES (100 M)	-.75	.75	.00	-3.84	-11.98	-26.05
(ZERO RANGE) (150 M)	-.75	2.03	2.56	.00	-6.86	-19.65
(200 M)	-.75	3.75	5.99	5.15	.00	-11.07
MPBR ZERO (135 M)	-.75	1.60	1.70	-1.28	-8.57	-21.79
WIND DRIFT (10 MPH)	.00	.89	3.82	9.31	17.87	29.68
INCHES (20 MPH)	.00	1.77	7.64	18.61	35.74	59.37

MAXIMUM POINT BLANK RANGE IS 155 METERS. SET ZERO AT 130 METERS.

VELOCITY FPS	2400	2064	1759	1489	1270	1126
ENERGY FT-LB	1598	1183	858	615	448	352
DROP INCHES	.00	-.99	-4.44	-11.28	-22.84	-40.83
BULLET PATH (50 M)	-.75	.00	-1.71	-6.80	-16.63	-32.88
INCHES (100 M)	-.75	.85	.00	-4.24	-13.21	-28.60
(ZERO RANGE) (150 M)	-.75	2.27	2.83	.00	-7.55	-21.53
(200 M)	-.75	4.16	6.61	5.67	.00	-12.09
MPBR ZERO (130 M)	-.75	1.65	1.59	-1.86	-10.04	-24.64
WIND DRIFT (10 MPH)	.00	.94	4.06	9.89	18.92	31.08
INCHES (20 MPH)	.00	1.88	8.13	19.77	37.84	62.17

MAXIMUM POINT BLANK RANGE IS 150 METERS. SET ZERO AT 125 METERS.

VELOCITY FPS	2300	1973	1676	1419	1224	1094
ENERGY FT-LB	1468	1080	780	559	415	332
DROP INCHES	.00	-1.08	-4.86	-12.36	-25.06	-44.69
BULLET PATH (50 M)	-.75	.00	-1.94	-7.62	-18.48	-36.29
INCHES (100 M)	-.75	.97	.00	-4.70	-14.60	-31.43
(ZERO RANGE) (150 M)	-.75	2.54	3.13	.00	-8.33	-23.59
(200 M)	-.75	4.62	7.30	6.25	.00	-13.18
MPBR ZERO (125 M)	-.75	1.69	1.44	-2.54	-11.71	-27.82
WIND DRIFT (10 MPH)	.00	1.00	4.33	10.51	19.98	32.45
INCHES (20 MPH)	.00	2.00	8.66	21.02	39.95	64.90

MAXIMUM POINT BLANK RANGE IS 140 METERS. SET ZERO AT 120 METERS.

VELOCITY FPS	2200	1881	1595	1351	1180	1064
ENERGY FT-LB	1343	982	706	507	386	314
DROP INCHES	.00	-1.18	-5.33	-13.60	-27.56	-48.98
BULLET PATH (50 M)	-75	.00	-2.21	-8.54	-20.57	-40.06
INCHES (100 M)	-75	1.11	.00	-5.22	-16.15	-34.53
(ZERO RANGE) (150 M)	-75	2.85	3.48	.00	-9.18	-25.82
(200 M)	-75	5.14	8.07	6.89	.00	-14.34
MPBR ZERO (120 M)	-75	1.74	1.26	-3.33	-13.62	-31.37
WIND DRIFT (10 MPH)	.00	1.07	4.62	11.18	21.02	33.73
INCHES (20 MPH)	.00	2.14	9.23	22.36	42.03	67.46

RANGE METERS MUZZLE 50 100 150 200 250

MAXIMUM POINT BLANK RANGE IS 135 METERS. SET ZERO AT 115 METERS.

VELOCITY FPS	2100	1790	1516	1289	1139	1037
ENERGY FT-LB	1223	890	638	461	360	298
DROP INCHES	.00	-1.30	-5.88	-15.01	-30.37	-53.72
BULLET PATH (50 M)	-75	.00	-2.52	-9.60	-22.91	-44.21
INCHES (100 M)	-75	1.26	.00	-5.82	-17.87	-37.91
(ZERO RANGE) (150 M)	-75	3.20	3.88	.00	-10.11	-28.21
(200 M)	-75	5.73	8.94	7.59	.00	-15.57
MPBR ZERO (115 M)	-75	1.78	1.04	-4.26	-15.79	-35.31
WIND DRIFT (10 MPH)	.00	1.14	4.93	11.88	22.01	34.89
INCHES (20 MPH)	.00	2.29	9.85	23.76	44.02	69.77

MAXIMUM POINT BLANK RANGE IS 130 METERS. SET ZERO AT 110 METERS.

VELOCITY FPS	2000	1700	1439	1237	1103	1012
ENERGY FT-LB	1110	802	575	424	337	284
DROP INCHES	.00	-1.44	-6.50	-16.62	-33.53	-58.95
BULLET PATH (50 M)	-75	.00	-2.88	-10.80	-25.52	-48.75
INCHES (100 M)	-75	1.44	.00	-6.49	-19.77	-41.56
(ZERO RANGE) (150 M)	-75	3.60	4.33	.00	-11.11	-30.74
(200 M)	-75	6.38	9.88	8.34	.00	-16.85
MPBR ZERO (110 M)	-75	1.82	.76	-5.34	-18.24	-39.65
WIND DRIFT (10 MPH)	.00	1.22	5.26	12.56	22.91	35.86
INCHES (20 MPH)	.00	2.45	10.52	25.13	45.82	71.72

MAXIMUM POINT BLANK RANGE IS 125 METERS. SET ZERO AT 105 METERS.

VELOCITY FPS	1900	1612	1365	1188	1070	989
ENERGY FT-LB	1001	721	517	392	317	271
DROP INCHES	.00	-1.60	-7.23	-18.47	-37.05	-64.68
BULLET PATH (50 M)	-75	.00	-3.29	-12.17	-28.41	-53.69
INCHES (100 M)	-75	1.64	.00	-7.24	-21.83	-45.47
(ZERO RANGE) (150 M)	-75	4.06	4.83	.00	-12.18	-33.41
(200 M)	-75	7.10	10.92	9.13	.00	-18.18
MPBR ZERO (105 M)	-75	1.85	.42	-6.61	-20.99	-44.42
WIND DRIFT (10 MPH)	.00	1.31	5.61	13.19	23.67	36.59
INCHES (20 MPH)	.00	2.62	11.21	26.37	47.33	73.17

MAXIMUM POINT BLANK RANGE IS 120 METERS. SET ZERO AT 100 METERS.

VELOCITY FPS	1800	1524	1294	1143	1040	967
ENERGY FT-LB	899	644	465	363	300	259
DROP INCHES	.00	-1.78	-8.08	-20.56	-40.97	-70.96
BULLET PATH (50 M)	-75	.00	-3.76	-13.71	-31.58	-59.04
INCHES (100 M)	-75	1.88	.00	-8.06	-24.05	-49.63
(ZERO RANGE) (150 M)	-75	4.57	5.37	.00	-13.31	-36.20
(200 M)	-75	7.89	12.03	9.98	.00	-19.56
MPBR ZERO (100 M)	-75	1.88	.00	-8.06	-24.05	-49.63
WIND DRIFT (10 MPH)	.00	1.40	5.96	13.71	24.22	37.01
INCHES (20 MPH)	.00	2.81	11.92	27.42	48.43	74.02

MAXIMUM POINT BLANK RANGE IS 115 METERS. SET ZERO AT 95 METERS.

VELOCITY FPS	1700	1438	1236	1102	1012	946
--------------	------	------	------	------	------	-----

ENERGY FT-LB	802	574	424	337	284	248
DROP INCHES	.00	-2.00	-9.07	-22.92	-45.30	-77.79
BULLET PATH (50 M)	-.75	.00	-4.31	-15.41	-35.03	-64.77
INCHES (100 M)	-.75	2.15	.00	-8.95	-26.41	-54.00
(ZERO RANGE) (150 M)	-.75	5.14	5.96	.00	-14.49	-39.09
(200 M)	-.75	8.76	13.21	10.86	.00	-20.99
MPBR ZERO (95 M)	-.75	1.89	-.52	-9.72	-27.45	-55.30
WIND DRIFT (10 MPH)	.00	1.50	6.26	14.07	24.48	37.04
INCHES (20 MPH)	.00	3.00	12.53	28.15	48.96	74.08

MAXIMUM POINT BLANK RANGE IS 110 METERS. SET ZERO AT 90 METERS.

VELOCITY FPS	1600	1355	1182	1065	986	925
ENERGY FT-LB	710	509	387	315	269	237
DROP INCHES	.00	-2.27	-10.21	-25.58	-50.07	-85.22
BULLET PATH (50 M)	-.75	.00	-4.92	-17.28	-38.75	-70.89
INCHES (100 M)	-.75	2.46	.00	-9.89	-28.91	-58.58
(ZERO RANGE) (150 M)	-.75	5.76	6.59	.00	-15.72	-42.10
(200 M)	-.75	9.69	14.45	11.79	.00	-22.45
MPBR ZERO (90 M)	-.75	1.89	-1.15	-11.61	-31.20	-61.45
WIND DRIFT (10 MPH)	.00	1.59	6.46	14.21	24.38	36.60
INCHES (20 MPH)	.00	3.19	12.93	28.43	48.77	73.19

RANGE METERS	MUZZLE	50	100	150	200	250
--------------	--------	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 105 METERS. SET ZERO AT 85 METERS.

VELOCITY FPS	1500	1278	1131	1032	961	905
ENERGY FT-LB	624	453	355	295	256	227
DROP INCHES	.00	-2.58	-11.51	-28.53	-55.29	-93.27
BULLET PATH (50 M)	-.75	.00	-5.60	-19.30	-42.73	-77.38
INCHES (100 M)	-.75	2.80	.00	-10.90	-31.53	-63.38
(ZERO RANGE) (150 M)	-.75	6.43	7.26	.00	-17.00	-45.22
(200 M)	-.75	10.68	15.76	12.75	.00	-23.97
MPBR ZERO (85 M)	-.75	1.85	-1.90	-13.74	-35.32	-68.12
WIND DRIFT (10 MPH)	.00	1.67	6.50	14.04	23.82	35.56
INCHES (20 MPH)	.00	3.35	12.99	28.07	47.64	71.12

MAXIMUM POINT BLANK RANGE IS 100 METERS. SET ZERO AT 80 METERS.

VELOCITY FPS	1400	1211	1085	1000	936	883
ENERGY FT-LB	543	407	326	277	243	216
DROP INCHES	.00	-2.94	-12.97	-31.79	-60.98	-102.00
BULLET PATH (50 M)	-.75	.00	-6.33	-21.46	-46.96	-84.28
INCHES (100 M)	-.75	3.17	.00	-11.96	-34.30	-68.45
(ZERO RANGE) (150 M)	-.75	7.15	7.98	.00	-18.34	-48.51
(200 M)	-.75	11.74	17.15	13.76	.00	-25.58
MPBR ZERO (80 M)	-.75	1.77	-2.79	-16.14	-39.87	-75.41
WIND DRIFT (10 MPH)	.00	1.66	6.30	13.44	22.69	33.83
INCHES (20 MPH)	.00	3.33	12.59	26.89	45.38	67.65

MAXIMUM POINT BLANK RANGE IS 90 METERS. SET ZERO AT 75 METERS.

VELOCITY FPS	1300	1147	1042	969	911	860
ENERGY FT-LB	468	365	301	260	230	205
DROP INCHES	.00	-3.35	-14.58	-35.35	-67.15	-111.46
BULLET PATH (50 M)	-.75	.00	-7.13	-23.80	-51.50	-91.70
INCHES (100 M)	-.75	3.56	.00	-13.10	-37.24	-73.88
(ZERO RANGE) (150 M)	-.75	7.93	8.73	.00	-19.77	-52.04
(200 M)	-.75	12.87	18.62	14.83	.00	-27.33
MPBR ZERO (75 M)	-.75	1.65	-3.83	-18.85	-44.91	-83.46
WIND DRIFT (10 MPH)	.00	1.49	5.75	12.31	20.85	31.26
INCHES (20 MPH)	.00	2.98	11.51	24.63	41.71	62.53

MAXIMUM POINT BLANK RANGE IS 85 METERS. SET ZERO AT 70 METERS.

VELOCITY FPS	1200	1077	994	932	879	830
ENERGY FT-LB	399	322	274	241	214	191
DROP INCHES	.00	-3.89	-16.71	-40.00	-75.23	-123.91
BULLET PATH (50 M)	-.75	.00	-8.17	-26.83	-57.41	-101.45

INCHES	(100 M)	-.75	4.09	.00	-14.57	-41.07	-81.02
(ZERO RANGE)	(150 M)	-.75	8.94	9.71	.00	-21.65	-56.74
	(200 M)	-.75	14.35	20.53	16.23	.00	-29.68
MPBR ZERO	(70 M)	-.75	1.51	-5.16	-22.31	-51.39	-93.93
WIND DRIFT	(10 MPH)	.00	1.41	5.29	11.25	19.09	28.83
INCHES	(20 MPH)	.00	2.81	10.58	22.49	38.17	57.67

MAXIMUM POINT BLANK RANGE IS 80 METERS. SET ZERO AT 65 METERS.

VELOCITY FPS		1100	1010	944	890	840	796
ENERGY FT-LB		335	283	247	220	196	176
DROP INCHES		.00	-4.55	-19.27	-45.60	-85.04	-139.19
BULLET PATH	(50 M)	-.75	.00	-9.41	-30.44	-64.58	-113.43
INCHES	(100 M)	-.75	4.71	.00	-16.32	-45.76	-89.90
(ZERO RANGE)	(150 M)	-.75	10.15	10.88	.00	-24.00	-62.69
	(200 M)	-.75	16.15	22.88	18.00	.00	-32.70
MPBR ZERO	(65 M)	-.75	1.30	-6.81	-26.54	-59.39	-106.93
WIND DRIFT	(10 MPH)	.00	1.20	4.55	9.80	16.95	26.00
INCHES	(20 MPH)	.00	2.41	9.10	19.60	33.89	52.00

MAXIMUM POINT BLANK RANGE IS 75 METERS. SET ZERO AT 60 METERS.

VELOCITY FPS		1000	936	882	834	790	751
ENERGY FT-LB		277	243	216	193	173	156
DROP INCHES		.00	-5.42	-22.65	-53.22	-98.72	-160.78
BULLET PATH	(50 M)	-.75	.00	-11.07	-35.48	-74.81	-130.70
INCHES	(100 M)	-.75	5.54	.00	-18.87	-52.66	-103.02
(ZERO RANGE)	(150 M)	-.75	11.83	12.58	.00	-27.50	-71.57
	(200 M)	-.75	18.70	26.33	20.63	.00	-37.20
MPBR ZERO	(60 M)	-.75	1.02	-9.04	-32.43	-70.74	-125.61
WIND DRIFT	(10 MPH)	.00	1.00	3.89	8.68	15.37	23.98
INCHES	(20 MPH)	.00	2.00	7.77	17.35	30.75	47.97