

.357 Dia., 158 Gr. JSP/158 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE METERS	MUZZLE	50	100	150	200	250
MAXIMUM POINT BLANK RANGE IS 155 METERS. SET ZERO AT 130 METERS.						
VELOCITY FPS	2500	2059	1733	1492	1303	1158
ENERGY FT-LB	2192	1487	1053	781	596	470
DROP INCHES	.00	-.94	-4.35	-11.22	-22.79	-40.49
BULLET PATH (50 M)	-.75	.00	-1.71	-6.89	-16.76	-32.76
INCHES (100 M)	-.75	.85	.00	-4.33	-13.34	-28.50
(ZERO RANGE) (150 M)	-.75	2.30	2.88	.00	-7.58	-21.29
(200 M)	-.75	4.19	6.67	5.68	.00	-11.81
MPBR ZERO (130 M)	-.75	1.66	1.62	-1.90	-10.11	-24.45
WIND DRIFT (10 MPH)	.00	1.20	4.94	11.43	20.61	32.63
INCHES (20 MPH)	.00	2.41	9.89	22.87	41.22	65.26

MAXIMUM POINT BLANK RANGE IS 150 METERS. SET ZERO AT 125 METERS.						
VELOCITY FPS	2400	1986	1668	1449	1268	1134
ENERGY FT-LB	2020	1384	976	736	564	451
DROP INCHES	.00	-1.03	-4.71	-12.11	-24.48	-43.33
BULLET PATH (50 M)	-.75	.00	-1.90	-7.53	-18.12	-35.20
INCHES (100 M)	-.75	.95	.00	-4.67	-14.32	-30.44
(ZERO RANGE) (150 M)	-.75	2.51	3.11	.00	-8.09	-22.66
(200 M)	-.75	4.53	7.16	6.07	.00	-12.54
MPBR ZERO (125 M)	-.75	1.67	1.44	-2.52	-11.45	-26.85
WIND DRIFT (10 MPH)	.00	1.25	5.09	11.67	20.97	33.09
INCHES (20 MPH)	.00	2.51	10.18	23.33	41.93	66.19

MAXIMUM POINT BLANK RANGE IS 145 METERS. SET ZERO AT 120 METERS.						
VELOCITY FPS	2300	1914	1614	1407	1234	1111
ENERGY FT-LB	1855	1285	914	694	534	433
DROP INCHES	.00	-1.12	-5.10	-13.06	-26.29	-46.35
BULLET PATH (50 M)	-.75	.00	-2.11	-8.21	-19.58	-37.77
INCHES (100 M)	-.75	1.06	.00	-5.04	-15.35	-32.48
(ZERO RANGE) (150 M)	-.75	2.74	3.36	.00	-8.63	-24.09
(200 M)	-.75	4.89	7.67	6.48	.00	-13.30
MPBR ZERO (120 M)	-.75	1.67	1.22	-3.20	-12.90	-29.42
WIND DRIFT (10 MPH)	.00	1.28	5.20	11.82	21.22	33.39
INCHES (20 MPH)	.00	2.56	10.40	23.64	42.43	66.78

MAXIMUM POINT BLANK RANGE IS 140 METERS. SET ZERO AT 115 METERS.						
VELOCITY FPS	2200	1842	1565	1365	1201	1090
ENERGY FT-LB	1697	1190	860	653	506	417
DROP INCHES	.00	-1.21	-5.52	-14.07	-28.23	-49.57
BULLET PATH (50 M)	-.75	.00	-2.34	-8.93	-21.13	-40.50
INCHES (100 M)	-.75	1.17	.00	-5.42	-16.45	-34.65
(ZERO RANGE) (150 M)	-.75	2.98	3.62	.00	-9.22	-25.61
(200 M)	-.75	5.28	8.22	6.91	.00	-14.09
MPBR ZERO (115 M)	-.75	1.66	.98	-3.96	-14.49	-32.21
WIND DRIFT (10 MPH)	.00	1.27	5.24	11.89	21.35	33.52
INCHES (20 MPH)	.00	2.54	10.48	23.77	42.71	67.04

MAXIMUM POINT BLANK RANGE IS 135 METERS. SET ZERO AT 115 METERS.						
VELOCITY FPS	2100	1769	1517	1324	1172	1070
ENERGY FT-LB	1546	1098	807	615	482	401
DROP INCHES	.00	-1.31	-5.97	-15.16	-30.29	-52.97
BULLET PATH (50 M)	-.75	.00	-2.59	-9.71	-22.78	-43.39
INCHES (100 M)	-.75	1.29	.00	-5.83	-17.61	-36.92
(ZERO RANGE) (150 M)	-.75	3.24	3.89	.00	-9.83	-27.20
(200 M)	-.75	5.70	8.80	7.37	.00	-14.91
MPBR ZERO (115 M)	-.75	1.82	1.06	-4.25	-15.49	-34.28
WIND DRIFT (10 MPH)	.00	1.23	5.20	11.84	21.33	33.41
INCHES (20 MPH)	.00	2.47	10.40	23.68	42.65	66.82

MAXIMUM POINT BLANK RANGE IS 130 METERS. SET ZERO AT 110 METERS.

VELOCITY FPS	2000	1680	1457	1274	1138	1046
ENERGY FT-LB	1403	990	744	570	454	384
DROP INCHES	.00	-1.45	-6.58	-16.63	-33.08	-57.54
BULLET PATH (50 M)	-0.75	.00	-2.92	-10.77	-25.02	-47.27
INCHES (100 M)	-0.75	1.46	.00	-6.38	-19.18	-39.96
(ZERO RANGE) (150 M)	-0.75	3.59	4.26	.00	-10.66	-29.33
(200 M)	-0.75	6.26	9.59	8.00	.00	-16.00
MPBR ZERO (110 M)	-0.75	1.84	.76	-5.24	-17.65	-38.06
WIND DRIFT (10 MPH)	.00	1.32	5.38	12.16	21.78	33.85
INCHES (20 MPH)	.00	2.64	10.77	24.33	43.55	67.69

RANGE METERS MUZZLE 50 100 150 200 250

MAXIMUM POINT BLANK RANGE IS 125 METERS. SET ZERO AT 105 METERS.

VELOCITY FPS	1900	1605	1398	1227	1107	1024
ENERGY FT-LB	1266	903	686	528	430	368
DROP INCHES	.00	-1.61	-7.26	-18.24	-36.12	-62.45
BULLET PATH (50 M)	-0.75	.00	-3.28	-11.91	-27.42	-51.39
INCHES (100 M)	-0.75	1.64	.00	-6.98	-20.85	-43.18
(ZERO RANGE) (150 M)	-0.75	3.97	4.65	.00	-11.55	-31.55
(200 M)	-0.75	6.86	10.43	8.66	.00	-17.11
MPBR ZERO (105 M)	-0.75	1.85	.41	-6.36	-20.03	-42.15
WIND DRIFT (10 MPH)	.00	1.40	5.49	12.37	22.02	33.98
INCHES (20 MPH)	.00	2.80	10.99	24.75	44.03	67.97

MAXIMUM POINT BLANK RANGE IS 120 METERS. SET ZERO AT 100 METERS.

VELOCITY FPS	1800	1537	1341	1184	1078	1003
ENERGY FT-LB	1136	829	631	492	408	353
DROP INCHES	.00	-1.79	-8.00	-20.01	-39.40	-67.70
BULLET PATH (50 M)	-0.75	.00	-3.67	-13.13	-29.98	-55.75
INCHES (100 M)	-0.75	1.83	.00	-7.63	-22.65	-46.58
(ZERO RANGE) (150 M)	-0.75	4.38	5.09	.00	-12.47	-33.86
(200 M)	-0.75	7.50	11.32	9.36	.00	-18.27
MPBR ZERO (100 M)	-0.75	1.83	.00	-7.63	-22.65	-46.58
WIND DRIFT (10 MPH)	.00	1.42	5.50	12.43	21.99	33.75
INCHES (20 MPH)	.00	2.83	11.00	24.85	43.98	67.50

MAXIMUM POINT BLANK RANGE IS 115 METERS. SET ZERO AT 95 METERS.

VELOCITY FPS	1700	1470	1285	1146	1051	983
ENERGY FT-LB	1013	758	579	460	387	339
DROP INCHES	.00	-1.99	-8.81	-21.93	-42.95	-73.35
BULLET PATH (50 M)	-0.75	.00	-4.08	-14.47	-32.76	-60.42
INCHES (100 M)	-0.75	2.04	.00	-8.35	-24.59	-50.21
(ZERO RANGE) (150 M)	-0.75	4.82	5.56	.00	-13.46	-36.30
(200 M)	-0.75	8.19	12.29	10.10	.00	-19.47
MPBR ZERO (95 M)	-0.75	1.80	-.49	-9.07	-25.56	-51.42
WIND DRIFT (10 MPH)	.00	1.34	5.39	12.28	21.65	33.10
INCHES (20 MPH)	.00	2.69	10.78	24.55	43.31	66.21

MAXIMUM POINT BLANK RANGE IS 110 METERS. SET ZERO AT 90 METERS.

VELOCITY FPS	1600	1394	1224	1105	1022	961
ENERGY FT-LB	897	681	525	428	366	323
DROP INCHES	.00	-2.22	-9.81	-24.33	-47.34	-80.26
BULLET PATH (50 M)	-0.75	.00	-4.62	-16.17	-36.21	-66.17
INCHES (100 M)	-0.75	2.31	.00	-9.24	-26.97	-54.62
(ZERO RANGE) (150 M)	-0.75	5.39	6.16	.00	-14.65	-39.22
(200 M)	-0.75	9.05	13.48	10.99	.00	-20.91
MPBR ZERO (90 M)	-0.75	1.78	-1.07	-10.85	-29.11	-57.30
WIND DRIFT (10 MPH)	.00	1.30	5.40	12.25	21.42	32.53
INCHES (20 MPH)	.00	2.61	10.80	24.51	42.84	65.06

MAXIMUM POINT BLANK RANGE IS 105 METERS. SET ZERO AT 85 METERS.

VELOCITY FPS	1500	1309	1162	1063	992	936
--------------	------	------	------	------	-----	-----

ENERGY FT-LB	789	601	474	396	345	307
DROP INCHES	.00	-2.53	-11.13	-27.40	-52.85	-88.83
BULLET PATH (50 M)	-.75	.00	-5.33	-18.32	-40.49	-73.21
INCHES (100 M)	-.75	2.66	.00	-10.33	-29.84	-59.89
(ZERO RANGE) (150 M)	-.75	6.11	6.89	.00	-16.06	-42.67
(200 M)	-.75	10.12	14.92	12.05	.00	-22.59
MPBR ZERO (85 M)	-.75	1.76	-1.80	-13.04	-33.45	-64.40
WIND DRIFT (10 MPH)	.00	1.38	5.60	12.38	21.29	32.03
INCHES (20 MPH)	.00	2.75	11.20	24.77	42.58	64.05

MAXIMUM POINT BLANK RANGE IS 100 METERS. SET ZERO AT 80 METERS.

VELOCITY FPS	1400	1228	1108	1024	962	912
ENERGY FT-LB	687	529	430	368	325	292
DROP INCHES	.00	-2.89	-12.67	-30.88	-58.98	-98.25
BULLET PATH (50 M)	-.75	.00	-6.13	-20.70	-45.15	-80.79
INCHES (100 M)	-.75	3.06	.00	-11.51	-32.89	-65.46
(ZERO RANGE) (150 M)	-.75	6.90	7.67	.00	-17.55	-46.28
(200 M)	-.75	11.29	16.45	13.16	.00	-24.35
MPBR ZERO (80 M)	-.75	1.72	-2.69	-15.55	-38.28	-72.20
WIND DRIFT (10 MPH)	.00	1.43	5.63	12.15	20.63	30.84
INCHES (20 MPH)	.00	2.86	11.26	24.30	41.26	61.68

RANGE METERS MUZZLE 50 100 150 200 250

MAXIMUM POINT BLANK RANGE IS 95 METERS. SET ZERO AT 75 METERS.

VELOCITY FPS	1300	1155	1058	988	933	883
ENERGY FT-LB	592	468	393	342	305	273
DROP INCHES	.00	-3.34	-14.44	-34.80	-65.77	-108.64
BULLET PATH (50 M)	-.75	.00	-7.01	-23.28	-50.16	-88.95
INCHES (100 M)	-.75	3.51	.00	-12.76	-36.14	-71.42
(ZERO RANGE) (150 M)	-.75	7.76	8.51	.00	-19.12	-50.15
(200 M)	-.75	12.54	18.07	14.34	.00	-26.24
MPBR ZERO (75 M)	-.75	1.63	-3.76	-18.40	-43.66	-80.82
WIND DRIFT (10 MPH)	.00	1.42	5.38	11.43	19.31	28.86
INCHES (20 MPH)	.00	2.85	10.76	22.87	38.62	57.72

MAXIMUM POINT BLANK RANGE IS 90 METERS. SET ZERO AT 75 METERS.

VELOCITY FPS	1200	1089	1011	951	903	847
ENERGY FT-LB	505	416	358	317	286	251
DROP INCHES	.00	-3.86	-16.45	-39.19	-73.36	-120.34
BULLET PATH (50 M)	-.75	.00	-7.99	-26.12	-55.68	-98.05
INCHES (100 M)	-.75	3.99	.00	-14.14	-39.71	-78.08
(ZERO RANGE) (150 M)	-.75	8.71	9.43	.00	-20.86	-54.52
(200 M)	-.75	13.92	19.85	15.64	.00	-28.45
MPBR ZERO (75 M)	-.75	1.87	-4.24	-20.50	-48.19	-88.68
WIND DRIFT (10 MPH)	.00	1.25	4.75	10.15	17.24	26.19
INCHES (20 MPH)	.00	2.51	9.50	20.29	34.49	52.37

MAXIMUM POINT BLANK RANGE IS 85 METERS. SET ZERO AT 70 METERS.

VELOCITY FPS	1100	1019	958	908	853	802
ENERGY FT-LB	424	364	321	289	255	226
DROP INCHES	.00	-4.52	-19.03	-44.83	-83.27	-135.97
BULLET PATH (50 M)	-.75	.00	-9.24	-29.77	-62.93	-110.37
INCHES (100 M)	-.75	4.62	.00	-15.91	-44.45	-87.27
(ZERO RANGE) (150 M)	-.75	9.92	10.61	.00	-23.24	-60.75
(200 M)	-.75	15.73	22.23	17.43	.00	-31.70
MPBR ZERO (70 M)	-.75	1.73	-5.78	-24.58	-56.01	-101.72
WIND DRIFT (10 MPH)	.00	1.07	4.08	8.80	15.33	23.99
INCHES (20 MPH)	.00	2.15	8.16	17.60	30.65	47.97

MAXIMUM POINT BLANK RANGE IS 80 METERS. SET ZERO AT 65 METERS.

VELOCITY FPS	1000	942	893	838	789	745
ENERGY FT-LB	350	311	280	246	218	194
DROP INCHES	.00	-5.39	-22.43	-52.55	-97.44	-158.98
BULLET PATH (50 M)	-.75	.00	-10.91	-34.88	-73.64	-129.05

INCHES	(100 M)	-.75	5.45	.00	-18.52	-51.83	-101.78
(ZERO RANGE)	(150 M)	-.75	11.63	12.35	.00	-27.13	-70.90
	(200 M)	-.75	18.41	25.91	20.35	.00	-36.99
MPBR ZERO	(65 M)	-.75	1.53	-7.85	-30.30	-67.53	-121.40
WIND DRIFT	(10 MPH)	.00	.89	3.46	7.97	14.62	23.41
INCHES	(20 MPH)	.00	1.78	6.92	15.94	29.24	46.83

MAXIMUM POINT BLANK RANGE IS 70 METERS. SET ZERO AT 55 METERS.

VELOCITY FPS		900	843	793	749	708	671
ENERGY FT-LB		284	249	221	197	176	158
DROP INCHES		.00	-6.66	-27.92	-65.63	121.83	-198.72
BULLET PATH	(50 M)	-.75	.00	-13.85	-44.15	-92.94	-162.43
INCHES	(100 M)	-.75	6.93	.00	-23.37	-65.24	-127.79
(ZERO RANGE)	(150 M)	-.75	14.72	15.58	.00	-34.08	-88.85
	(200 M)	-.75	23.24	32.62	25.56	.00	-46.25
MPBR ZERO	(55 M)	-.75	.63	-12.58	-42.24	-90.40	-159.25
WIND DRIFT	(10 MPH)	.00	1.09	4.31	9.68	17.23	27.04
INCHES	(20 MPH)	.00	2.18	8.63	19.36	34.47	54.09

MAXIMUM POINT BLANK RANGE IS 65 METERS. SET ZERO AT 50 METERS.

VELOCITY FPS		800	755	713	675	640	606
ENERGY FT-LB		224	199	178	160	143	129
DROP INCHES		.00	-8.32	-34.86	-81.79	151.49	-246.57
BULLET PATH	(50 M)	-.75	.00	-17.47	-55.33	115.96	-201.98
INCHES	(100 M)	-.75	8.74	.00	-29.12	-81.01	-158.29
(ZERO RANGE)	(150 M)	-.75	18.44	19.42	.00	-42.18	-109.75
	(200 M)	-.75	28.99	40.51	31.64	.00	-57.03
MPBR ZERO	(50 M)	-.75	.00	-17.47	-55.33	115.96	-201.98
WIND DRIFT	(10 MPH)	.00	1.07	4.32	9.82	17.65	27.95
INCHES	(20 MPH)	.00	2.15	8.64	19.63	35.30	55.89