

## .357 Dia., 170 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE METERS	MUZZLE	50	100	150	200	250
MAXIMUM POINT BLANK RANGE IS 150 METERS. SET ZERO AT 125 METERS.						
VELOCITY FPS	2400	2015	1728	1509	1332	1189
ENERGY FT-LB	2173	1532	1128	859	670	533
DROP INCHES	.00	-1.02	-4.60	-11.67	-23.32	-40.85
BULLET PATH (50 M)	-.75	.00	-1.82	-7.12	-17.01	-32.77
INCHES (100 M)	-.75	.91	.00	-4.39	-13.38	-28.23
(ZERO RANGE) (150 M)	-.75	2.37	2.93	.00	-7.52	-20.90
(200 M)	-.75	4.25	6.69	5.64	.00	-11.51
MPBR ZERO (125 M)	-.75	1.59	1.36	-2.36	-10.66	-24.83
WIND DRIFT (10 MPH)	.00	1.16	4.60	10.51	18.86	29.82
INCHES (20 MPH)	.00	2.31	9.20	21.03	37.72	59.63

MAXIMUM POINT BLANK RANGE IS 150 METERS. SET ZERO AT 125 METERS.						
VELOCITY FPS	2300	1945	1666	1465	1295	1162
ENERGY FT-LB	1996	1428	1047	810	633	510
DROP INCHES	.00	-1.10	-4.97	-12.57	-25.03	-43.70
BULLET PATH (50 M)	-.75	.00	-2.01	-7.76	-18.37	-35.18
INCHES (100 M)	-.75	1.01	.00	-4.74	-14.34	-30.15
(ZERO RANGE) (150 M)	-.75	2.59	3.16	.00	-8.02	-22.25
(200 M)	-.75	4.59	7.17	6.02	.00	-12.22
MPBR ZERO (125 M)	-.75	1.74	1.47	-2.54	-11.40	-26.48
WIND DRIFT (10 MPH)	.00	1.17	4.66	10.61	19.04	30.07
INCHES (20 MPH)	.00	2.34	9.32	21.23	38.07	60.14

MAXIMUM POINT BLANK RANGE IS 145 METERS. SET ZERO AT 120 METERS.						
VELOCITY FPS	2200	1875	1613	1421	1259	1137
ENERGY FT-LB	1826	1327	981	763	598	488
DROP INCHES	.00	-1.20	-5.37	-13.54	-26.87	-46.76
BULLET PATH (50 M)	-.75	.00	-2.23	-8.45	-19.83	-37.77
INCHES (100 M)	-.75	1.11	.00	-5.11	-15.38	-32.21
(ZERO RANGE) (150 M)	-.75	2.82	3.40	.00	-8.57	-23.70
(200 M)	-.75	4.96	7.69	6.43	.00	-12.99
MPBR ZERO (120 M)	-.75	1.74	1.25	-3.23	-12.87	-29.08
WIND DRIFT (10 MPH)	.00	1.15	4.67	10.63	19.11	30.18
INCHES (20 MPH)	.00	2.30	9.35	21.26	38.22	60.36

MAXIMUM POINT BLANK RANGE IS 140 METERS. SET ZERO AT 115 METERS.						
VELOCITY FPS	2100	1805	1563	1379	1224	1113
ENERGY FT-LB	1664	1230	922	717	566	468
DROP INCHES	.00	-1.30	-5.80	-14.57	-28.82	-50.00
BULLET PATH (50 M)	-.75	.00	-2.46	-9.18	-21.39	-40.52
INCHES (100 M)	-.75	1.23	.00	-5.49	-16.47	-34.38
(ZERO RANGE) (150 M)	-.75	3.06	3.66	.00	-9.15	-25.22
(200 M)	-.75	5.35	8.24	6.86	.00	-13.78
MPBR ZERO (115 M)	-.75	1.73	1.00	-4.00	-14.48	-31.88
WIND DRIFT (10 MPH)	.00	1.08	4.59	10.52	19.02	30.06
INCHES (20 MPH)	.00	2.16	9.19	21.05	38.05	60.13

MAXIMUM POINT BLANK RANGE IS 130 METERS. SET ZERO AT 110 METERS.						
VELOCITY FPS	2000	1715	1499	1324	1183	1084
ENERGY FT-LB	1509	1110	848	661	528	443
DROP INCHES	.00	-1.43	-6.40	-16.02	-31.58	-54.54
BULLET PATH (50 M)	-.75	.00	-2.79	-10.23	-23.60	-44.39
INCHES (100 M)	-.75	1.39	.00	-6.04	-18.02	-37.42
(ZERO RANGE) (150 M)	-.75	3.41	4.03	.00	-9.97	-27.35
(200 M)	-.75	5.90	9.01	7.48	.00	-14.89
MPBR ZERO (110 M)	-.75	1.76	.73	-4.95	-16.57	-35.60
WIND DRIFT (10 MPH)	.00	1.16	4.79	10.86	19.55	30.65
INCHES (20 MPH)	.00	2.32	9.58	21.73	39.09	61.30

MAXIMUM POINT BLANK RANGE IS 125 METERS. SET ZERO AT 105 METERS.

VELOCITY FPS	1900	1630	1436	1271	1146	1057
ENERGY FT-LB	1362	1002	779	610	495	422
DROP INCHES	.00	-1.59	-7.08	-17.63	-34.61	-59.49
BULLET PATH (50 M)	-.75	.00	-3.15	-11.36	-26.00	-48.55
INCHES (100 M)	-.75	1.58	.00	-6.63	-19.70	-40.67
(ZERO RANGE) (150 M)	-.75	3.79	4.42	.00	-10.86	-29.62
(200 M)	-.75	6.50	9.85	8.14	.00	-16.04
MPBR ZERO (105 M)	-.75	1.77	.40	-6.04	-18.91	-39.68
WIND DRIFT (10 MPH)	.00	1.24	4.92	11.11	19.90	30.98
INCHES (20 MPH)	.00	2.48	9.84	22.22	39.80	61.97

RANGE METERS	MUZZLE	50	100	150	200	250
--------------	--------	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 120 METERS. SET ZERO AT 100 METERS.

VELOCITY FPS	1800	1559	1375	1221	1111	1033
ENERGY FT-LB	1222	917	713	563	466	402
DROP INCHES	.00	-1.77	-7.83	-19.40	-37.93	-64.85
BULLET PATH (50 M)	-.75	.00	-3.54	-12.59	-28.60	-53.01
INCHES (100 M)	-.75	1.77	.00	-7.28	-21.53	-44.16
(ZERO RANGE) (150 M)	-.75	4.20	4.86	.00	-11.81	-32.02
(200 M)	-.75	7.15	10.76	8.86	.00	-17.25
MPBR ZERO (100 M)	-.75	1.77	.00	-7.28	-21.53	-44.16
WIND DRIFT (10 MPH)	.00	1.27	4.97	11.23	20.03	30.98
INCHES (20 MPH)	.00	2.54	9.93	22.47	40.06	61.97

MAXIMUM POINT BLANK RANGE IS 120 METERS. SET ZERO AT 100 METERS.

VELOCITY FPS	1700	1488	1315	1176	1079	1009
ENERGY FT-LB	1090	836	652	522	440	384
DROP INCHES	.00	-1.96	-8.64	-21.35	-41.54	-70.63
BULLET PATH (50 M)	-.75	.00	-3.96	-13.95	-31.43	-57.81
INCHES (100 M)	-.75	1.98	.00	-8.01	-23.51	-47.90
(ZERO RANGE) (150 M)	-.75	4.65	5.34	.00	-12.83	-34.56
(200 M)	-.75	7.86	11.75	9.62	.00	-18.52
MPBR ZERO (100 M)	-.75	1.98	.00	-8.01	-23.51	-47.90
WIND DRIFT (10 MPH)	.00	1.22	4.90	11.18	19.87	30.58
INCHES (20 MPH)	.00	2.45	9.79	22.36	39.73	61.15

MAXIMUM POINT BLANK RANGE IS 115 METERS. SET ZERO AT 95 METERS.

VELOCITY FPS	1600	1410	1250	1131	1047	984
ENERGY FT-LB	966	750	589	482	413	365
DROP INCHES	.00	-2.20	-9.64	-23.74	-45.95	-77.62
BULLET PATH (50 M)	-.75	.00	-4.50	-15.65	-34.91	-63.63
INCHES (100 M)	-.75	2.25	.00	-8.90	-25.92	-52.39
(ZERO RANGE) (150 M)	-.75	5.22	5.94	.00	-14.04	-37.55
(200 M)	-.75	8.73	12.96	10.53	.00	-20.00
MPBR ZERO (95 M)	-.75	1.98	-.53	-9.69	-26.97	-53.70
WIND DRIFT (10 MPH)	.00	1.19	4.92	11.22	19.76	30.19
INCHES (20 MPH)	.00	2.38	9.83	22.45	39.52	60.37

MAXIMUM POINT BLANK RANGE IS 110 METERS. SET ZERO AT 90 METERS.

VELOCITY FPS	1500	1324	1183	1084	1013	957
ENERGY FT-LB	849	662	528	444	387	346
DROP INCHES	.00	-2.50	-10.95	-26.80	-51.46	-86.24
BULLET PATH (50 M)	-.75	.00	-5.19	-17.79	-39.20	-70.72
INCHES (100 M)	-.75	2.59	.00	-10.00	-28.82	-57.74
(ZERO RANGE) (150 M)	-.75	5.93	6.67	.00	-15.48	-41.07
(200 M)	-.75	9.80	14.41	11.61	.00	-21.72
MPBR ZERO (90 M)	-.75	2.00	-1.18	-11.78	-31.18	-60.70
WIND DRIFT (10 MPH)	.00	1.26	5.12	11.41	19.75	29.84
INCHES (20 MPH)	.00	2.51	10.25	22.82	39.49	59.67

MAXIMUM POINT BLANK RANGE IS 105 METERS. SET ZERO AT 85 METERS.

VELOCITY FPS	1400	1241	1125	1042	981	931
--------------	------	------	------	------	-----	-----

ENERGY FT-LB	739	581	477	410	363	327
DROP INCHES	.00	-2.87	-12.48	-30.29	-57.63	-95.75
BULLET PATH (50 M)	-.75	.00	-5.99	-20.18	-43.91	-78.41
INCHES (100 M)	-.75	3.00	.00	-11.19	-31.92	-63.42
(ZERO RANGE) (150 M)	-.75	6.73	7.46	.00	-17.00	-44.77
(200 M)	-.75	10.98	15.96	12.75	.00	-23.52
MPBR ZERO (85 M)	-.75	2.00	-1.99	-14.18	-35.91	-68.41
WIND DRIFT (10 MPH)	.00	1.31	5.18	11.26	19.21	28.82
INCHES (20 MPH)	.00	2.62	10.36	22.53	38.43	57.63

MAXIMUM POINT BLANK RANGE IS 95 METERS. SET ZERO AT 80 METERS.

VELOCITY FPS	1300	1165	1072	1003	950	905
ENERGY FT-LB	637	512	433	380	340	309
DROP INCHES	.00	-3.31	-14.26	-34.23	-64.51	-106.26
BULLET PATH (50 M)	-.75	.00	-6.88	-22.79	-49.00	-86.69
INCHES (100 M)	-.75	3.44	.00	-12.47	-35.23	-69.48
(ZERO RANGE) (150 M)	-.75	7.60	8.31	.00	-18.61	-48.71
(200 M)	-.75	12.25	17.62	13.96	.00	-25.44
MPBR ZERO (80 M)	-.75	1.95	-2.98	-16.94	-41.20	-76.93
WIND DRIFT (10 MPH)	.00	1.31	4.98	10.64	18.03	26.97
INCHES (20 MPH)	.00	2.62	9.96	21.29	36.06	53.95

RANGE METERS MUZZLE 50 100 150 200 250

MAXIMUM POINT BLANK RANGE IS 90 METERS. SET ZERO AT 75 METERS.

VELOCITY FPS	1200	1096	1022	964	917	869
ENERGY FT-LB	543	453	394	351	317	285
DROP INCHES	.00	-3.84	-16.29	-38.69	-72.21	-118.07
BULLET PATH (50 M)	-.75	.00	-7.87	-25.68	-54.61	-95.89
INCHES (100 M)	-.75	3.94	.00	-13.87	-38.87	-76.21
(ZERO RANGE) (150 M)	-.75	8.56	9.25	.00	-20.38	-53.10
(200 M)	-.75	13.65	19.44	15.28	.00	-27.62
MPBR ZERO (75 M)	-.75	1.85	-4.17	-20.13	-47.22	-86.64
WIND DRIFT (10 MPH)	.00	1.16	4.41	9.45	16.10	24.32
INCHES (20 MPH)	.00	2.32	8.83	18.91	32.19	48.63

MAXIMUM POINT BLANK RANGE IS 85 METERS. SET ZERO AT 70 METERS.

VELOCITY FPS	1100	1024	966	919	871	824
ENERGY FT-LB	456	396	352	319	286	256
DROP INCHES	.00	-4.50	-18.89	-44.36	-82.12	-133.57
BULLET PATH (50 M)	-.75	.00	-9.13	-29.36	-61.87	-108.07
INCHES (100 M)	-.75	4.57	.00	-15.66	-43.60	-85.23
(ZERO RANGE) (150 M)	-.75	9.79	10.44	.00	-22.73	-59.14
(200 M)	-.75	15.47	21.80	17.04	.00	-30.73
MPBR ZERO (70 M)	-.75	1.71	-5.71	-24.22	-55.02	-99.51
WIND DRIFT (10 MPH)	.00	.99	3.78	8.18	14.14	21.98
INCHES (20 MPH)	.00	1.99	7.57	16.36	28.28	43.96

MAXIMUM POINT BLANK RANGE IS 80 METERS. SET ZERO AT 65 METERS.

VELOCITY FPS	1000	946	902	852	806	766
ENERGY FT-LB	377	338	307	274	245	221
DROP INCHES	.00	-5.37	-22.29	-52.03	-96.07	-156.03
BULLET PATH (50 M)	-.75	.00	-10.80	-34.41	-72.34	-126.18
INCHES (100 M)	-.75	5.40	.00	-18.21	-50.74	-99.17
(ZERO RANGE) (150 M)	-.75	11.47	12.14	.00	-26.45	-68.82
(200 M)	-.75	18.08	25.37	19.84	.00	-35.75
MPBR ZERO (65 M)	-.75	1.52	-7.77	-29.86	-66.27	-118.59
WIND DRIFT (10 MPH)	.00	.82	3.20	7.25	13.22	21.10
INCHES (20 MPH)	.00	1.64	6.39	14.50	26.44	42.20

MAXIMUM POINT BLANK RANGE IS 70 METERS. SET ZERO AT 55 METERS.

VELOCITY FPS	900	848	803	763	726	691
ENERGY FT-LB	305	271	243	219	198	180
DROP INCHES	.00	-6.62	-27.66	-64.71	-119.59	-194.19
BULLET PATH (50 M)	-.75	.00	-13.67	-43.35	-90.86	-158.09

INCHES	(100 M)	-.75	6.83	.00	-22.85	-63.53	-123.92
(ZERO RANGE)	(150 M)	-.75	14.45	15.23	.00	-33.06	-85.84
	(200 M)	-.75	22.71	31.76	24.79	.00	-44.52
MPBR ZERO	(55 M)	-.75	.63	-12.41	-41.47	-88.35	-154.95
WIND DRIFT	(10 MPH)	.00	.97	3.86	8.65	15.37	24.08
INCHES	(20 MPH)	.00	1.95	7.71	17.30	30.75	48.17

MAXIMUM POINT BLANK RANGE IS 65 METERS. SET ZERO AT 50 METERS.

VELOCITY FPS		800	759	722	687	655	624
ENERGY FT-LB		241	217	196	178	162	147
DROP INCHES		.00	-8.27	-34.53	-80.70	148.84	-241.20
BULLET PATH	(50 M)	-.75	.00	-17.25	-54.39	113.51	-196.86
INCHES	(100 M)	-.75	8.62	.00	-28.53	-79.02	-153.74
(ZERO RANGE)	(150 M)	-.75	18.13	19.02	.00	-40.99	-106.20
	(200 M)	-.75	28.38	39.51	30.74	.00	-54.97
MPBR ZERO	(50 M)	-.75	.00	-17.25	-54.39	113.51	-196.86
WIND DRIFT	(10 MPH)	.00	.96	3.85	8.74	15.68	24.77
INCHES	(20 MPH)	.00	1.92	7.71	17.47	31.36	49.55

MAXIMUM POINT BLANK RANGE IS 55 METERS. SET ZERO AT 45 METERS.

VELOCITY FPS		700	666	635	605	576	549
ENERGY FT-LB		184	167	152	138	125	114
DROP INCHES		.00	-10.76	-44.90	104.81	193.13	-312.76
BULLET PATH	(50 M)	-.75	.00	-22.63	-71.03	147.84	-255.96
INCHES	(100 M)	-.75	11.31	.00	-37.09	102.58	-199.38
(ZERO RANGE)	(150 M)	-.75	23.68	24.72	.00	-53.13	-137.57
	(200 M)	-.75	36.96	51.29	39.85	.00	-71.16
MPBR ZERO	(45 M)	-.75	-1.04	-24.72	-74.16	152.01	-261.18
WIND DRIFT	(10 MPH)	.00	1.03	4.17	9.52	17.20	27.32
INCHES	(20 MPH)	.00	2.06	8.34	19.04	34.39	54.64