

.357 Dia., 110 Gr. JHC Blitz Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
MAXIMUM POINT BLANK RANGE IS 190 YARDS. SET ZERO AT 160 YARDS.								
VELOCITY FPS	2800	2610	2428	2254	2087	1927	1775	1274
ENERGY FT-LB	1914	1664	1440	1241	1063	907	769	396
DROP INCHES	.00	-.14	-.61	-1.44	-2.70	-4.45	-6.80	-24.46
BULLET PATH (25 YDS)	-.75	.00	.43	.49	.13	-.74	-2.19	-16.28
INCHES (50 YDS)	-.75	-.22	.00	-.15	-.73	-1.81	-3.48	-18.44
(ZERO RANGE) (75 YDS)	-.75	-.16	.10	.00	-.53	-1.56	-3.17	-17.93
(100 YDS)	-.75	-.03	.37	.40	.00	-.90	-2.38	-16.60
MPBR ZERO (160 YDS)	-.75	.46	1.35	1.88	1.97	1.57	.58	-11.66
WIND DRIFT (10 MPH)	.00	.17	.70	1.62	2.99	4.86	7.28	23.77
INCHES (20 MPH)	.00	.34	1.39	3.25	5.99	9.72	14.57	47.54

MAXIMUM POINT BLANK RANGE IS 180 YARDS. SET ZERO AT 155 YARDS.								
VELOCITY FPS	2700	2514	2336	2166	2002	1846	1699	1230
ENERGY FT-LB	1780	1544	1333	1145	979	833	705	369
DROP INCHES	.00	-.15	-.65	-1.55	-2.91	-4.81	-7.35	-26.56
BULLET PATH (25 YDS)	-.75	.00	.41	.41	-.04	-1.04	-2.68	-18.27
INCHES (50 YDS)	-.75	-.20	.00	-.20	-.85	-2.05	-3.89	-20.30
(ZERO RANGE) (75 YDS)	-.75	-.14	.13	.00	-.59	-1.73	-3.50	-19.65
(100 YDS)	-.75	.01	.43	.45	.00	-.99	-2.61	-18.16
MPBR ZERO (155 YDS)	-.75	.50	1.40	1.91	1.95	1.45	.31	-13.29
WIND DRIFT (10 MPH)	.00	.18	.73	1.71	3.16	5.14	7.70	25.02
INCHES (20 MPH)	.00	.35	1.47	3.42	6.32	10.27	15.39	50.05

MAXIMUM POINT BLANK RANGE IS 175 YARDS. SET ZERO AT 150 YARDS.								
VELOCITY FPS	2600	2418	2244	2077	1918	1767	1624	1188
ENERGY FT-LB	1650	1428	1230	1054	898	762	644	344
DROP INCHES	.00	-.17	-.70	-1.67	-3.15	-5.21	-7.97	-28.91
BULLET PATH (25 YDS)	-.75	.00	.38	.32	-.23	-1.38	-3.23	-20.49
INCHES (50 YDS)	-.75	-.19	.00	-.24	-.99	-2.33	-4.36	-22.39
(ZERO RANGE) (75 YDS)	-.75	-.11	.16	.00	-.67	-1.92	-3.88	-21.58
(100 YDS)	-.75	.06	.49	.50	.00	-1.09	-2.88	-19.91
MPBR ZERO (150 YDS)	-.75	.54	1.45	1.94	1.92	1.31	.00	-15.12
WIND DRIFT (10 MPH)	.00	.19	.78	1.81	3.34	5.44	8.15	26.32
INCHES (20 MPH)	.00	.37	1.55	3.62	6.69	10.88	16.31	52.64

MAXIMUM POINT BLANK RANGE IS 170 YARDS. SET ZERO AT 145 YARDS.								
VELOCITY FPS	2500	2322	2152	1989	1834	1688	1551	1149
ENERGY FT-LB	1526	1317	1131	966	821	695	587	322
DROP INCHES	.00	-.18	-.76	-1.82	-3.42	-5.67	-8.68	-31.54
BULLET PATH (25 YDS)	-.75	.00	.35	.22	-.45	-1.77	-3.85	-22.98
INCHES (50 YDS)	-.75	-.17	.00	-.30	-1.14	-2.63	-4.89	-24.72
(ZERO RANGE) (75 YDS)	-.75	-.07	.20	.00	-.75	-2.14	-4.30	-23.73
(100 YDS)	-.75	.11	.57	.56	.00	-1.21	-3.18	-21.87
MPBR ZERO (145 YDS)	-.75	.58	1.51	1.96	1.87	1.13	-.37	-17.18
WIND DRIFT (10 MPH)	.00	.20	.82	1.92	3.55	5.77	8.65	27.64
INCHES (20 MPH)	.00	.40	1.64	3.84	7.10	11.54	17.30	55.27

MAXIMUM POINT BLANK RANGE IS 165 YARDS. SET ZERO AT 140 YARDS.								
VELOCITY FPS	2400	2226	2060	1902	1751	1610	1479	1113
ENERGY FT-LB	1406	1210	1036	883	749	633	534	302
DROP INCHES	.00	-.20	-.83	-1.98	-3.72	-6.18	-9.48	-34.46
BULLET PATH (25 YDS)	-.75	.00	.31	.11	-.69	-2.20	-4.55	-25.76
INCHES (50 YDS)	-.75	-.16	.00	-.36	-1.31	-2.98	-5.49	-27.31
(ZERO RANGE) (75 YDS)	-.75	-.04	.24	.00	-.84	-2.39	-4.78	-26.13
(100 YDS)	-.75	.17	.66	.63	.00	-1.34	-3.52	-24.03
MPBR ZERO (140 YDS)	-.75	.63	1.56	1.99	1.81	.92	-.80	-19.50
WIND DRIFT (10 MPH)	.00	.21	.87	2.04	3.77	6.13	9.19	28.95
INCHES (20 MPH)	.00	.42	1.74	4.08	7.55	12.27	18.38	57.89

MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.

VELOCITY FPS		2300	2130	1968	1814	1669	1533	1409	1081
ENERGY FT-LB		1291	1108	946	804	680	574	485	285
DROP INCHES		.00	-.21	-.91	-2.16	-4.07	-6.77	-10.39	-37.73
BULLET PATH	(25 YDS)	-.75	.00	.27	-.02	-.97	-2.70	-5.36	-28.85
INCHES	(50 YDS)	-.75	-.14	.00	-.43	-1.51	-3.38	-6.17	-30.20
(ZERO RANGE)	(75 YDS)	-.75	.01	.28	.00	-.94	-2.67	-5.32	-28.78
	(100 YDS)	-.75	.24	.76	.71	.00	-1.49	-3.90	-26.42
MPBR ZERO	(135 YDS)	-.75	.67	1.62	2.01	1.73	.67	-1.31	-22.10
WIND DRIFT	(10 MPH)	.00	.22	.93	2.17	4.02	6.53	9.77	30.23
INCHES	(20 MPH)	.00	.45	1.86	4.35	8.04	13.06	19.54	60.46

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
-------------	--------	----	----	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 155 YARDS. SET ZERO AT 130 YARDS.

VELOCITY FPS		2200	2035	1877	1728	1588	1459	1343	1052
ENERGY FT-LB		1181	1011	860	729	616	520	440	270
DROP INCHES		.00	-.23	-.99	-2.37	-4.47	-7.44	-11.43	-41.35
BULLET PATH	(25 YDS)	-.75	.00	.22	-.17	-1.29	-3.27	-6.28	-32.27
INCHES	(50 YDS)	-.75	-.11	.00	-.50	-1.74	-3.83	-6.95	-33.39
(ZERO RANGE)	(75 YDS)	-.75	.06	.34	.00	-1.06	-2.99	-5.94	-31.71
	(100 YDS)	-.75	.32	.87	.80	.00	-1.66	-4.34	-29.05
MPBR ZERO	(130 YDS)	-.75	.73	1.68	2.02	1.62	.37	-1.91	-24.99
WIND DRIFT	(10 MPH)	.00	.24	.99	2.32	4.29	6.96	10.39	31.43
INCHES	(20 MPH)	.00	.48	1.98	4.64	8.57	13.91	20.78	62.87

MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.

VELOCITY FPS		2100	1939	1787	1643	1509	1388	1281	1025
ENERGY FT-LB		1076	918	779	659	556	470	401	256
DROP INCHES		.00	-.26	-1.09	-2.61	-4.93	-8.21	-12.61	-45.36
BULLET PATH	(25 YDS)	-.75	.00	.17	-.34	-1.65	-3.93	-7.33	-36.05
INCHES	(50 YDS)	-.75	-.09	.00	-.60	-2.00	-4.35	-7.84	-36.91
(ZERO RANGE)	(75 YDS)	-.75	.11	.40	.00	-1.20	-3.36	-6.65	-34.92
	(100 YDS)	-.75	.41	1.00	.90	.00	-1.86	-4.85	-31.91
MPBR ZERO	(125 YDS)	-.75	.79	1.74	2.02	1.49	.00	-2.62	-28.20
WIND DRIFT	(10 MPH)	.00	.26	1.06	2.48	4.58	7.41	11.03	32.52
INCHES	(20 MPH)	.00	.51	2.12	4.96	9.15	14.82	22.07	65.04

MAXIMUM POINT BLANK RANGE IS 140 YARDS. SET ZERO AT 120 YARDS.

VELOCITY FPS		2000	1844	1697	1559	1433	1319	1228	1001
ENERGY FT-LB		976	830	703	594	501	425	368	244
DROP INCHES		.00	-.28	-1.21	-2.88	-5.46	-9.09	-13.97	-49.78
BULLET PATH	(25 YDS)	-.75	.00	.11	-.53	-2.08	-4.68	-8.52	-40.20
INCHES	(50 YDS)	-.75	-.06	.00	-.70	-2.30	-4.95	-8.85	-40.75
(ZERO RANGE)	(75 YDS)	-.75	.18	.47	.00	-1.36	-3.79	-7.45	-38.42
	(100 YDS)	-.75	.52	1.15	1.02	.00	-2.08	-5.41	-35.01
MPBR ZERO	(120 YDS)	-.75	.85	1.80	2.00	1.31	-.44	-3.45	-31.74
WIND DRIFT	(10 MPH)	.00	.27	1.14	2.65	4.88	7.89	11.67	33.45
INCHES	(20 MPH)	.00	.55	2.27	5.30	9.77	15.78	23.34	66.89

MAXIMUM POINT BLANK RANGE IS 135 YARDS. SET ZERO AT 115 YARDS.

VELOCITY FPS		1900	1749	1608	1477	1359	1259	1179	978
ENERGY FT-LB		881	747	631	533	451	387	339	233
DROP INCHES		.00	-.31	-1.34	-3.20	-6.07	-10.11	-15.52	-54.64
BULLET PATH	(25 YDS)	-.75	.00	.04	-.76	-2.56	-5.54	-9.89	-44.75
INCHES	(50 YDS)	-.75	-.02	.00	-.82	-2.64	-5.64	-10.00	-44.94
(ZERO RANGE)	(75 YDS)	-.75	.25	.55	.00	-1.55	-4.27	-8.36	-42.20
	(100 YDS)	-.75	.64	1.32	1.16	.00	-2.34	-6.04	-38.34
MPBR ZERO	(115 YDS)	-.75	.91	1.86	1.97	1.09	-.98	-4.41	-35.63
WIND DRIFT	(10 MPH)	.00	.29	1.22	2.83	5.20	8.36	12.26	34.15
INCHES	(20 MPH)	.00	.59	2.43	5.67	10.41	16.73	24.51	68.31

MAXIMUM POINT BLANK RANGE IS 125 YARDS. SET ZERO AT 105 YARDS.

VELOCITY FPS		1800	1655	1521	1398	1289	1205	1133	956
--------------	--	------	------	------	------	------	------	------	-----

ENERGY FT-LB	791	669	565	477	406	354	314	223
DROP INCHES	.00	-.35	-1.49	-3.58	-6.78	-11.28	-17.28	-59.96
BULLET PATH (25 YDS)	-.75	.00	-.04	-1.03	-3.13	-6.53	-11.43	-49.70
INCHES (50 YDS)	-.75	.02	.00	-.96	-3.04	-6.42	-11.30	-49.49
(ZERO RANGE) (75 YDS)	-.75	.34	.64	.00	-1.76	-4.82	-9.37	-46.27
(100 YDS)	-.75	.78	1.52	1.32	.00	-2.62	-6.74	-41.88
MPBR ZERO (105 YDS)	-.75	.88	1.72	1.61	.39	-2.13	-6.15	-40.90
WIND DRIFT (10 MPH)	.00	.31	1.30	3.02	5.53	8.79	12.76	34.59
INCHES (20 MPH)	.00	.63	2.60	6.05	11.06	17.58	25.52	69.18

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS	1700	1562	1435	1321	1230	1154	1093	935
ENERGY FT-LB	705	596	503	426	369	325	291	213
DROP INCHES	.00	-.39	-1.68	-4.02	-7.61	-12.63	-19.28	-65.76
BULLET PATH (25 YDS)	-.75	.00	-.14	-1.34	-3.78	-7.66	-13.17	-55.08
INCHES (50 YDS)	-.75	.07	.00	-1.13	-3.50	-7.31	-12.74	-54.36
(ZERO RANGE) (75 YDS)	-.75	.45	.75	.00	-1.99	-5.43	-10.48	-50.60
(100 YDS)	-.75	.95	1.75	1.50	.00	-2.93	-7.49	-45.62
MPBR ZERO (100 YDS)	-.75	.95	1.75	1.50	.00	-2.93	-7.49	-45.62
WIND DRIFT (10 MPH)	.00	.34	1.39	3.21	5.82	9.13	13.13	34.67
INCHES (20 MPH)	.00	.67	2.78	6.43	11.63	18.27	26.26	69.34

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS	1600	1546	1495	1445	1397	1352	1254	1174
ENERGY FT-LB	625	584	545	510	477	446	384	337
DROP INCHES	.00	-.07	-.28	-.65	-1.18	-1.90	-4.54	-8.56
BULLET PATH (20 YDS)	-.75	-.30	.00	.15	.13	-.07	-1.43	-4.16
INCHES (30 YDS)	-.75	-.35	-.10	.00	-.07	-.32	-1.79	-4.65
(ZERO RANGE) (40 YDS)	-.75	-.33	-.06	.05	.00	-.23	-1.66	-4.48
(50 YDS)	-.75	-.29	.03	.19	.18	.00	-1.32	-4.02
MPBR ZERO (95 YDS)	-.75	.07	.74	1.25	1.60	1.77	1.33	-.48
WIND DRIFT (10 MPH)	.00	.06	.23	.52	.94	1.48	3.38	6.01
INCHES (20 MPH)	.00	.11	.46	1.04	1.87	2.95	6.76	12.03

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS	1500	1450	1402	1356	1313	1274	1192	1123
ENERGY FT-LB	549	513	480	449	421	396	347	308
DROP INCHES	.00	-.08	-.32	-.74	-1.35	-2.16	-5.15	-9.66
BULLET PATH (20 YDS)	-.75	-.29	.00	.12	.04	-.23	-1.88	-5.06
INCHES (30 YDS)	-.75	-.33	-.08	.00	-.11	-.42	-2.17	-5.44
(ZERO RANGE) (40 YDS)	-.75	-.30	-.02	.08	.00	-.28	-1.96	-5.16
(50 YDS)	-.75	-.25	.09	.25	.23	.00	-1.53	-4.59
MPBR ZERO (90 YDS)	-.75	.11	.80	1.31	1.64	1.76	1.11	-1.07
WIND DRIFT (10 MPH)	.00	.06	.24	.55	.99	1.55	3.46	6.08
INCHES (20 MPH)	.00	.12	.49	1.10	1.98	3.10	6.93	12.15

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS	1400	1354	1310	1273	1238	1206	1135	1077
ENERGY FT-LB	478	447	419	395	374	355	314	283
DROP INCHES	.00	-.09	-.37	-.85	-1.54	-2.47	-5.84	-10.90
BULLET PATH (20 YDS)	-.75	-.28	.00	.08	-.06	-.42	-2.40	-6.06
INCHES (30 YDS)	-.75	-.31	-.05	.00	-.16	-.55	-2.60	-6.32
(ZERO RANGE) (40 YDS)	-.75	-.27	.03	.12	.00	-.35	-2.29	-5.92
(50 YDS)	-.75	-.20	.17	.33	.28	.00	-1.77	-5.22
MPBR ZERO (90 YDS)	-.75	.21	.97	1.54	1.89	2.01	1.25	-1.19
WIND DRIFT (10 MPH)	.00	.06	.25	.57	1.01	1.55	3.42	5.94
INCHES (20 MPH)	.00	.13	.51	1.14	2.01	3.11	6.83	11.87

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS	1300	1264	1230	1198	1168	1141	1082	1034
ENERGY FT-LB	412	390	369	350	333	318	285	261
DROP INCHES	.00	-.10	-.42	-.97	-1.77	-2.81	-6.62	-12.29
BULLET PATH (20 YDS)	-.75	-.27	.00	.04	-.17	-.63	-2.97	-7.17

INCHES	(30 YDS)	-75	-.28	-.02	.00	-.22	-.69	-3.06	-7.29
(ZERO RANGE)	(40 YDS)	-75	-.22	.08	.16	.00	-.42	-2.65	-6.74
	(50 YDS)	-75	-.14	.25	.41	.33	.00	-2.03	-5.91
MPBR ZERO	(85 YDS)	-75	.25	1.04	1.60	1.91	1.97	.93	-1.97
WIND DRIFT	(10 MPH)	.00	.06	.23	.52	.92	1.43	3.16	5.50
INCHES	(20 MPH)	.00	.12	.46	1.04	1.84	2.86	6.33	10.99

MAXIMUM POINT BLANK RANGE IS 95 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS		1200	1170	1142	1117	1094	1072	1026	987
ENERGY FT-LB		351	334	318	304	292	281	257	238
DROP INCHES		.00	-.12	-.50	-1.14	-2.06	-3.27	-7.63	-14.06
BULLET PATH	(20 YDS)	-75	-.25	.00	-.02	-.31	-.90	-3.71	-8.58
INCHES	(30 YDS)	-75	-.24	.01	.00	-.29	-.87	-3.66	-8.52
(ZERO RANGE)	(40 YDS)	-75	-.17	.16	.22	.00	-.51	-3.12	-7.79
	(50 YDS)	-75	-.07	.36	.52	.41	.00	-2.36	-6.78
MPBR ZERO	(80 YDS)	-75	.32	1.13	1.67	1.94	1.92	.52	-2.94
WIND DRIFT	(10 MPH)	.00	.06	.22	.50	.87	1.35	2.93	5.05
INCHES	(20 MPH)	.00	.11	.45	.99	1.74	2.69	5.86	10.09

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS		1100	1078	1058	1039	1022	1006	970	938
ENERGY FT-LB		295	283	273	264	255	247	229	215
DROP INCHES		.00	-.14	-.59	-1.34	-2.41	-3.82	-8.85	-16.19
BULLET PATH	(20 YDS)	-75	-.23	.00	-.08	-.49	-1.23	-4.59	-10.26
INCHES	(30 YDS)	-75	-.20	.06	.00	-.38	-1.09	-4.38	-9.98
(ZERO RANGE)	(40 YDS)	-75	-.10	.24	.28	.00	-.62	-3.68	-9.04
	(50 YDS)	-75	.02	.49	.65	.49	.00	-2.75	-7.81
MPBR ZERO	(75 YDS)	-75	.39	1.22	1.75	1.96	1.84	.00	-4.14
WIND DRIFT	(10 MPH)	.00	.05	.19	.43	.75	1.15	2.51	4.35
INCHES	(20 MPH)	.00	.10	.38	.85	1.49	2.30	5.02	8.69