

.357 Dia., 125 Gr. JSP/125 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
MAXIMUM POINT BLANK RANGE IS 190 YARDS. SET ZERO AT 160 YARDS.								
VELOCITY FPS	2700	2532	2371	2215	2065	1922	1784	1318
ENERGY FT-LB	2023	1779	1560	1362	1184	1025	884	482
DROP INCHES	.00	-.15	-.65	-1.52	-2.85	-4.68	-7.10	-24.82
BULLET PATH (25 YDS)	-.75	.00	.41	.44	.02	-.91	-2.43	-16.54
INCHES (50 YDS)	-.75	-.21	.00	-.18	-.81	-1.94	-3.66	-18.59
(ZERO RANGE) (75 YDS)	-.75	-.15	.12	.00	-.56	-1.64	-3.30	-17.99
(100 YDS)	-.75	.00	.40	.42	.00	-.93	-2.45	-16.58
MPBR ZERO (160 YDS)	-.75	.50	1.42	1.94	2.03	1.60	.59	-11.51
WIND DRIFT (10 MPH)	.00	.16	.66	1.53	2.81	4.54	6.78	21.79
INCHES (20 MPH)	.00	.32	1.31	3.05	5.62	9.09	13.57	43.58

MAXIMUM POINT BLANK RANGE IS 180 YARDS. SET ZERO AT 150 YARDS.								
VELOCITY FPS	2600	2436	2278	2126	1979	1839	1707	1268
ENERGY FT-LB	1875	1646	1440	1254	1087	939	808	446
DROP INCHES	.00	-.17	-.70	-1.65	-3.08	-5.07	-7.69	-27.01
BULLET PATH (25 YDS)	-.75	.00	.38	.35	-.17	-1.24	-2.95	-18.61
INCHES (50 YDS)	-.75	-.19	.00	-.23	-.94	-2.20	-4.10	-20.52
(ZERO RANGE) (75 YDS)	-.75	-.12	.15	.00	-.63	-1.82	-3.65	-19.77
(100 YDS)	-.75	.04	.47	.47	.00	-1.03	-2.70	-18.19
MPBR ZERO (150 YDS)	-.75	.49	1.37	1.82	1.80	1.22	.00	-13.68
WIND DRIFT (10 MPH)	.00	.17	.69	1.62	2.97	4.81	7.18	23.01
INCHES (20 MPH)	.00	.34	1.39	3.23	5.94	9.62	14.37	46.02

MAXIMUM POINT BLANK RANGE IS 170 YARDS. SET ZERO AT 145 YARDS.								
VELOCITY FPS	2500	2339	2185	2036	1894	1758	1630	1224
ENERGY FT-LB	1734	1519	1325	1151	995	858	737	415
DROP INCHES	.00	-.18	-.76	-1.79	-3.34	-5.50	-8.37	-29.47
BULLET PATH (25 YDS)	-.75	.00	.35	.25	-.38	-1.61	-3.55	-20.93
INCHES (50 YDS)	-.75	-.18	.00	-.28	-1.08	-2.49	-4.60	-22.69
(ZERO RANGE) (75 YDS)	-.75	-.08	.19	.00	-.71	-2.03	-4.05	-21.77
(100 YDS)	-.75	.09	.54	.53	.00	-1.14	-2.98	-19.99
MPBR ZERO (145 YDS)	-.75	.53	1.42	1.85	1.76	1.06	-.34	-15.59
WIND DRIFT (10 MPH)	.00	.18	.74	1.71	3.15	5.11	7.62	24.26
INCHES (20 MPH)	.00	.36	1.47	3.43	6.31	10.21	15.25	48.52

MAXIMUM POINT BLANK RANGE IS 165 YARDS. SET ZERO AT 140 YARDS.								
VELOCITY FPS	2400	2243	2092	1947	1809	1678	1554	1182
ENERGY FT-LB	1598	1396	1215	1052	908	781	670	387
DROP INCHES	.00	-.19	-.82	-1.94	-3.64	-6.00	-9.13	-32.23
BULLET PATH (25 YDS)	-.75	.00	.32	.14	-.61	-2.03	-4.22	-23.54
INCHES (50 YDS)	-.75	-.16	.00	-.34	-1.25	-2.82	-5.17	-25.13
(ZERO RANGE) (75 YDS)	-.75	-.05	.23	.00	-.80	-2.26	-4.50	-24.00
(100 YDS)	-.75	.15	.62	.60	.00	-1.26	-3.30	-22.01
MPBR ZERO (140 YDS)	-.75	.58	1.48	1.88	1.70	.87	-.74	-17.75
WIND DRIFT (10 MPH)	.00	.19	.78	1.82	3.35	5.43	8.10	25.52
INCHES (20 MPH)	.00	.38	1.56	3.64	6.70	10.86	16.20	51.04

MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.								
VELOCITY FPS	2300	2147	2000	1859	1725	1598	1481	1143
ENERGY FT-LB	1468	1279	1110	959	825	709	608	362
DROP INCHES	.00	-.21	-.90	-2.12	-3.98	-6.57	-10.00	-35.33
BULLET PATH (25 YDS)	-.75	.00	.28	.01	-.88	-2.51	-4.98	-26.46
INCHES (50 YDS)	-.75	-.14	.00	-.40	-1.44	-3.20	-5.82	-27.85
(ZERO RANGE) (75 YDS)	-.75	.00	.27	.00	-.90	-2.53	-5.01	-26.50
(100 YDS)	-.75	.22	.72	.67	.00	-1.40	-3.66	-24.26
MPBR ZERO (135 YDS)	-.75	.63	1.53	1.89	1.63	.63	-1.22	-20.19
WIND DRIFT (10 MPH)	.00	.20	.83	1.94	3.57	5.78	8.62	26.77
INCHES (20 MPH)	.00	.40	1.66	3.88	7.14	11.56	17.24	53.54

MAXIMUM POINT BLANK RANGE IS 155 YARDS. SET ZERO AT 130 YARDS.

VELOCITY FPS		2200	2050	1907	1771	1642	1521	1409	1108
ENERGY FT-LB		1343	1167	1010	870	748	642	551	340
DROP INCHES		.00	-.23	-.98	-2.33	-4.37	-7.21	-11.00	-38.79
BULLET PATH	(25 YDS)	-.75	.00	.23	-.13	-1.19	-3.05	-5.86	-29.72
INCHES	(50 YDS)	-.75	-.12	.00	-.48	-1.65	-3.63	-6.56	-30.88
(ZERO RANGE)	(75 YDS)	-.75	.04	.32	.00	-1.01	-2.83	-5.59	-29.28
	(100 YDS)	-.75	.30	.83	.76	.00	-1.57	-4.07	-26.75
MPBR ZERO	(130 YDS)	-.75	.68	1.59	1.91	1.53	.34	-1.78	-22.92
WIND DRIFT	(10 MPH)	.00	.21	.89	2.07	3.81	6.16	9.18	27.96
INCHES	(20 MPH)	.00	.43	1.78	4.14	7.62	12.33	18.36	55.93

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
-------------	--------	----	----	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.

VELOCITY FPS		2100	1954	1816	1684	1560	1446	1341	1076
ENERGY FT-LB		1223	1060	915	787	675	580	499	321
DROP INCHES		.00	-.25	-1.08	-2.56	-4.81	-7.95	-12.14	-42.64
BULLET PATH	(25 YDS)	-.75	.00	.18	-.30	-1.54	-3.68	-6.86	-33.34
INCHES	(50 YDS)	-.75	-.09	.00	-.57	-1.90	-4.13	-7.40	-34.25
(ZERO RANGE)	(75 YDS)	-.75	.10	.38	.00	-1.15	-3.18	-6.27	-32.35
	(100 YDS)	-.75	.39	.95	.86	.00	-1.75	-4.55	-29.49
MPBR ZERO	(125 YDS)	-.75	.74	1.65	1.91	1.40	.00	-2.44	-25.98
WIND DRIFT	(10 MPH)	.00	.23	.95	2.21	4.07	6.57	9.77	29.07
INCHES	(20 MPH)	.00	.46	1.90	4.42	8.14	13.14	19.54	58.14

MAXIMUM POINT BLANK RANGE IS 145 YARDS. SET ZERO AT 120 YARDS.

VELOCITY FPS		2000	1859	1725	1598	1481	1373	1279	1047
ENERGY FT-LB		1110	959	825	709	608	523	454	304
DROP INCHES		.00	-.28	-1.19	-2.83	-5.32	-8.81	-13.45	-46.92
BULLET PATH	(25 YDS)	-.75	.00	.12	-.49	-1.95	-4.40	-8.01	-37.36
INCHES	(50 YDS)	-.75	-.06	.00	-.67	-2.19	-4.71	-8.37	-37.96
(ZERO RANGE)	(75 YDS)	-.75	.16	.45	.00	-1.30	-3.59	-7.03	-35.73
	(100 YDS)	-.75	.49	1.10	.97	.00	-1.97	-5.09	-32.48
MPBR ZERO	(120 YDS)	-.75	.80	1.71	1.90	1.24	-.42	-3.23	-29.39
WIND DRIFT	(10 MPH)	.00	.25	1.02	2.37	4.35	7.00	10.38	30.03
INCHES	(20 MPH)	.00	.49	2.03	4.73	8.69	14.01	20.75	60.06

MAXIMUM POINT BLANK RANGE IS 135 YARDS. SET ZERO AT 115 YARDS.

VELOCITY FPS		1900	1763	1635	1514	1403	1303	1227	1020
ENERGY FT-LB		1001	863	742	636	546	471	417	289
DROP INCHES		.00	-.31	-1.32	-3.15	-5.92	-9.80	-14.95	-51.64
BULLET PATH	(25 YDS)	-.75	.00	.05	-.71	-2.42	-5.24	-9.33	-41.77
INCHES	(50 YDS)	-.75	-.03	.00	-.79	-2.52	-5.37	-9.48	-42.03
(ZERO RANGE)	(75 YDS)	-.75	.24	.53	.00	-1.47	-4.05	-7.91	-39.40
	(100 YDS)	-.75	.61	1.26	1.11	.00	-2.21	-5.69	-35.72
MPBR ZERO	(115 YDS)	-.75	.86	1.78	1.88	1.03	-.92	-4.15	-33.15
WIND DRIFT	(10 MPH)	.00	.26	1.09	2.53	4.64	7.45	10.95	30.79
INCHES	(20 MPH)	.00	.53	2.18	5.06	9.28	14.90	21.90	61.57

MAXIMUM POINT BLANK RANGE IS 130 YARDS. SET ZERO AT 110 YARDS.

VELOCITY FPS		1800	1669	1546	1432	1329	1246	1177	995
ENERGY FT-LB		899	773	663	569	490	431	385	275
DROP INCHES		.00	-.35	-1.48	-3.52	-6.61	-10.94	-16.67	-56.85
BULLET PATH	(25 YDS)	-.75	.00	-.03	-.97	-2.97	-6.20	-10.83	-46.62
INCHES	(50 YDS)	-.75	.02	.00	-.93	-2.91	-6.13	-10.74	-46.47
(ZERO RANGE)	(75 YDS)	-.75	.32	.62	.00	-1.68	-4.58	-8.89	-43.38
	(100 YDS)	-.75	.74	1.46	1.26	.00	-2.49	-6.37	-39.19
MPBR ZERO	(110 YDS)	-.75	.93	1.84	1.83	.76	-1.53	-5.23	-37.28
WIND DRIFT	(10 MPH)	.00	.28	1.17	2.70	4.94	7.87	11.44	31.28
INCHES	(20 MPH)	.00	.57	2.33	5.41	9.87	15.74	22.88	62.55

MAXIMUM POINT BLANK RANGE IS 125 YARDS. SET ZERO AT 105 YARDS.

VELOCITY FPS		1700	1575	1459	1353	1264	1193	1132	972
--------------	--	------	------	------	------	------	------	------	-----

ENERGY FT-LB	802	688	591	508	443	395	356	262
DROP INCHES	.00	-.39	-1.66	-3.95	-7.42	-12.26	-18.62	-62.55
BULLET PATH (25 YDS)	-.75	.00	-.13	-1.28	-3.61	-7.31	-12.53	-51.90
INCHES (50 YDS)	-.75	.06	.00	-1.09	-3.36	-6.99	-12.14	-51.26
(ZERO RANGE) (75 YDS)	-.75	.43	.72	.00	-1.91	-5.18	-9.97	-47.64
(100 YDS)	-.75	.90	1.68	1.43	.00	-2.79	-7.11	-42.87
MPBR ZERO (105 YDS)	-.75	1.01	1.89	1.75	.42	-2.26	-6.47	-41.81
WIND DRIFT (10 MPH)	.00	.30	1.25	2.88	5.22	8.21	11.80	31.42
INCHES (20 MPH)	.00	.61	2.49	5.76	10.44	16.41	23.60	62.84

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS	1600	1482	1374	1280	1207	1144	1091	949
ENERGY FT-LB	710	609	524	455	404	363	330	250
DROP INCHES	.00	-.44	-1.87	-4.46	-8.37	-13.77	-20.82	-68.78
BULLET PATH (25 YDS)	-.75	.00	-.24	-1.64	-4.35	-8.56	-14.42	-57.61
INCHES (50 YDS)	-.75	.12	.00	-1.27	-3.87	-7.95	-13.70	-56.40
(ZERO RANGE) (75 YDS)	-.75	.55	.85	.00	-2.17	-5.83	-11.15	-52.16
(100 YDS)	-.75	1.09	1.93	1.63	.00	-3.12	-7.90	-46.73
MPBR ZERO (100 YDS)	-.75	1.09	1.93	1.63	.00	-3.12	-7.90	-46.73
WIND DRIFT (10 MPH)	.00	.32	1.33	3.04	5.41	8.40	11.97	31.13
INCHES (20 MPH)	.00	.65	2.65	6.08	10.83	16.80	23.94	62.26

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS	1500	1454	1411	1369	1329	1292	1218	1153
ENERGY FT-LB	624	587	552	520	490	463	411	369
DROP INCHES	.00	-.08	-.32	-.74	-1.34	-2.13	-5.06	-9.45
BULLET PATH (20 YDS)	-.75	-.29	.00	.12	.05	-.21	-1.80	-4.85
INCHES (30 YDS)	-.75	-.33	-.08	.00	-.11	-.41	-2.10	-5.25
(ZERO RANGE) (40 YDS)	-.75	-.31	-.03	.08	.00	-.28	-1.90	-4.98
(50 YDS)	-.75	-.25	.08	.25	.22	.00	-1.48	-4.43
MPBR ZERO (95 YDS)	-.75	.14	.87	1.42	1.79	1.96	1.45	-.52
WIND DRIFT (10 MPH)	.00	.05	.22	.50	.89	1.40	3.12	5.47
INCHES (20 MPH)	.00	.11	.44	.99	1.78	2.80	6.24	10.93

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS	1400	1358	1319	1284	1253	1224	1158	1103
ENERGY FT-LB	543	512	482	457	436	416	372	337
DROP INCHES	.00	-.09	-.37	-.84	-1.53	-2.44	-5.75	-10.67
BULLET PATH (20 YDS)	-.75	-.28	.00	.08	-.05	-.40	-2.31	-5.84
INCHES (30 YDS)	-.75	-.31	-.05	.00	-.16	-.53	-2.52	-6.12
(ZERO RANGE) (40 YDS)	-.75	-.27	.02	.12	.00	-.34	-2.22	-5.73
(50 YDS)	-.75	-.20	.16	.32	.27	.00	-1.72	-5.05
MPBR ZERO (90 YDS)	-.75	.19	.94	1.49	1.83	1.95	1.21	-1.15
WIND DRIFT (10 MPH)	.00	.06	.23	.52	.91	1.40	3.06	5.31
INCHES (20 MPH)	.00	.11	.46	1.03	1.82	2.80	6.12	10.62

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS	1300	1268	1238	1210	1183	1158	1103	1057
ENERGY FT-LB	468	446	425	406	388	372	337	310
DROP INCHES	.00	-.10	-.42	-.97	-1.75	-2.78	-6.51	-12.03
BULLET PATH (20 YDS)	-.75	-.27	.00	.04	-.16	-.60	-2.87	-6.92
INCHES (30 YDS)	-.75	-.28	-.03	.00	-.21	-.67	-2.97	-7.05
(ZERO RANGE) (40 YDS)	-.75	-.23	.08	.16	.00	-.41	-2.58	-6.53
(50 YDS)	-.75	-.15	.24	.40	.32	.00	-1.97	-5.71
MPBR ZERO (85 YDS)	-.75	.24	1.00	1.55	1.85	1.91	.89	-1.90
WIND DRIFT (10 MPH)	.00	.05	.20	.45	.80	1.25	2.78	4.85
INCHES (20 MPH)	.00	.10	.40	.90	1.60	2.50	5.55	9.70

MAXIMUM POINT BLANK RANGE IS 95 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS	1200	1173	1149	1126	1105	1086	1043	1007
ENERGY FT-LB	399	382	366	352	339	327	302	281
DROP INCHES	.00	-.12	-.49	-1.13	-2.04	-3.23	-7.52	-13.81
BULLET PATH (20 YDS)	-.75	-.25	.00	-.01	-.30	-.87	-3.61	-8.34

INCHES	(30 YDS)	-.75	-.24	.01	.00	-.28	-.85	-3.57	-8.29
(ZERO RANGE)	(40 YDS)	-.75	-.17	.15	.21	.00	-.50	-3.04	-7.59
	(50 YDS)	-.75	-.07	.35	.51	.40	.00	-2.30	-6.59
MPBR ZERO	(80 YDS)	-.75	.30	1.10	1.63	1.89	1.87	.51	-2.85
WIND DRIFT	(10 MPH)	.00	.05	.19	.43	.76	1.18	2.59	4.47
INCHES	(20 MPH)	.00	.10	.39	.87	1.53	2.36	5.17	8.94

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS		1100	1080	1063	1046	1031	1016	983	954
ENERGY FT-LB		335	324	313	304	295	286	268	252
DROP INCHES		.00	-.14	-.58	-1.33	-2.40	-3.79	-8.75	-15.96
BULLET PATH	(20 YDS)	-.75	-.23	.00	-.08	-.48	-1.20	-4.50	-10.04
INCHES	(30 YDS)	-.75	-.20	.05	.00	-.37	-1.07	-4.30	-9.78
(ZERO RANGE)	(40 YDS)	-.75	-.11	.24	.28	.00	-.60	-3.61	-8.85
	(50 YDS)	-.75	.01	.48	.64	.48	.00	-2.70	-7.64
MPBR ZERO	(75 YDS)	-.75	.37	1.20	1.72	1.92	1.80	.00	-4.04
WIND DRIFT	(10 MPH)	.00	.04	.17	.37	.66	1.01	2.21	3.84
INCHES	(20 MPH)	.00	.09	.34	.75	1.31	2.02	4.43	7.68

MAXIMUM POINT BLANK RANGE IS 85 YARDS. SET ZERO AT 70 YARDS.

VELOCITY FPS		1000	987	974	963	951	941	916	892
ENERGY FT-LB		277	270	263	257	251	245	232	220
DROP INCHES		.00	-.17	-.70	-1.59	-2.86	-4.51	-10.36	-18.80
BULLET PATH	(20 YDS)	-.75	-.20	.00	-.17	-.71	-1.63	-5.67	-12.30
INCHES	(30 YDS)	-.75	-.14	.11	.00	-.49	-1.35	-5.25	-11.74
(ZERO RANGE)	(40 YDS)	-.75	-.02	.36	.37	.00	-.75	-4.34	-10.52
	(50 YDS)	-.75	.13	.65	.81	.60	.00	-3.22	-9.03
MPBR ZERO	(70 YDS)	-.75	.47	1.33	1.83	1.95	1.70	-.68	-5.64
WIND DRIFT	(10 MPH)	.00	.03	.14	.31	.54	.84	1.86	3.26
INCHES	(20 MPH)	.00	.07	.27	.61	1.08	1.68	3.72	6.52