

.357 Dia., 140 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.								
VELOCITY FPS	2500	2228	2017	1858	1707	1581	1474	1144
ENERGY FT-LB	1942	1544	1264	1073	906	777	675	406
DROP INCHES	.00	-.19	-.81	-1.97	-3.75	-6.29	-9.69	-34.86
BULLET PATH (25 YDS)	-.75	.00	.31	.09	-.76	-2.36	-4.82	-26.25
INCHES (50 YDS)	-.75	-.16	.00	-.38	-1.38	-3.14	-5.76	-27.81
(ZERO RANGE) (75 YDS)	-.75	-.03	.25	.00	-.88	-2.51	-5.00	-26.55
(100 YDS)	-.75	.19	.69	.66	.00	-1.41	-3.68	-24.35
MPBR ZERO (135 YDS)	-.75	.60	1.51	1.89	1.63	.64	-1.23	-20.27
WIND DRIFT (10 MPH)	.00	.31	1.29	2.83	4.96	7.73	11.09	31.01
INCHES (20 MPH)	.00	.62	2.58	5.66	9.92	15.46	22.19	62.02

MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.								
VELOCITY FPS	2400	2135	1957	1801	1654	1541	1437	1123
ENERGY FT-LB	1790	1416	1191	1009	851	738	642	392
DROP INCHES	.00	-.20	-.88	-2.12	-4.03	-6.74	-10.36	-36.97
BULLET PATH (25 YDS)	-.75	.00	.28	-.01	-.98	-2.73	-5.39	-28.20
INCHES (50 YDS)	-.75	-.14	.00	-.43	-1.53	-3.42	-6.22	-29.58
(ZERO RANGE) (75 YDS)	-.75	.00	.29	.00	-.96	-2.70	-5.36	-28.15
(100 YDS)	-.75	.24	.76	.72	.00	-1.51	-3.93	-25.76
MPBR ZERO (135 YDS)	-.75	.68	1.64	2.03	1.75	.68	-1.31	-21.39
WIND DRIFT (10 MPH)	.00	.33	1.31	2.83	4.98	7.75	11.12	31.09
INCHES (20 MPH)	.00	.66	2.61	5.67	9.96	15.50	22.23	62.18

MAXIMUM POINT BLANK RANGE IS 155 YARDS. SET ZERO AT 130 YARDS.								
VELOCITY FPS	2300	2060	1898	1746	1611	1502	1401	1104
ENERGY FT-LB	1644	1319	1120	947	806	701	610	379
DROP INCHES	.00	-.22	-.95	-2.28	-4.33	-7.21	-11.06	-39.18
BULLET PATH (25 YDS)	-.75	.00	.24	-.12	-1.20	-3.11	-5.98	-30.23
INCHES (50 YDS)	-.75	-.12	.00	-.48	-1.68	-3.71	-6.71	-31.43
(ZERO RANGE) (75 YDS)	-.75	.04	.32	.00	-1.04	-2.91	-5.74	-29.82
(100 YDS)	-.75	.30	.84	.78	.00	-1.61	-4.19	-27.24
MPBR ZERO (130 YDS)	-.75	.69	1.63	1.96	1.57	.36	-1.83	-23.30
WIND DRIFT (10 MPH)	.00	.35	1.28	2.79	4.94	7.69	11.05	31.01
INCHES (20 MPH)	.00	.69	2.56	5.59	9.88	15.37	22.10	62.02

MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.								
VELOCITY FPS	2200	1998	1840	1690	1569	1463	1365	1086
ENERGY FT-LB	1504	1241	1052	888	765	665	579	366
DROP INCHES	.00	-.24	-1.02	-2.45	-4.63	-7.70	-11.79	-41.48
BULLET PATH (25 YDS)	-.75	.00	.21	-.23	-1.43	-3.50	-6.60	-32.34
INCHES (50 YDS)	-.75	-.10	.00	-.54	-1.84	-4.02	-7.22	-33.37
(ZERO RANGE) (75 YDS)	-.75	.08	.36	.00	-1.12	-3.12	-6.14	-31.57
(100 YDS)	-.75	.36	.92	.84	.00	-1.72	-4.46	-28.78
MPBR ZERO (125 YDS)	-.75	.70	1.61	1.87	1.38	.00	-2.40	-25.33
WIND DRIFT (10 MPH)	.00	.33	1.21	2.69	4.81	7.53	10.87	30.74
INCHES (20 MPH)	.00	.65	2.42	5.39	9.63	15.05	21.74	61.47

MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.								
VELOCITY FPS	2100	1936	1781	1638	1527	1424	1329	1068
ENERGY FT-LB	1370	1166	986	834	725	630	549	354
DROP INCHES	.00	-.26	-1.09	-2.62	-4.94	-8.20	-12.54	-43.88
BULLET PATH (25 YDS)	-.75	.00	.17	-.35	-1.67	-3.92	-7.25	-34.56
INCHES (50 YDS)	-.75	-.08	.00	-.60	-2.01	-4.35	-7.76	-35.41
(ZERO RANGE) (75 YDS)	-.75	.12	.40	.00	-1.21	-3.35	-6.56	-33.41
(100 YDS)	-.75	.42	1.00	.90	.00	-1.84	-4.75	-30.40
MPBR ZERO (125 YDS)	-.75	.78	1.74	2.01	1.47	.00	-2.54	-26.72
WIND DRIFT (10 MPH)	.00	.26	1.08	2.53	4.59	7.25	10.56	30.23
INCHES (20 MPH)	.00	.52	2.16	5.05	9.17	14.50	21.12	60.46

MAXIMUM POINT BLANK RANGE IS 140 YARDS. SET ZERO AT 120 YARDS.

VELOCITY FPS		2000	1841	1692	1570	1464	1366	1277	1043
ENERGY FT-LB		1243	1054	890	766	666	580	507	338
DROP INCHES		.00	-.28	-1.21	-2.89	-5.45	-9.04	-13.78	-47.79
BULLET PATH	(25 YDS)	-.75	.00	.11	-.54	-2.07	-4.62	-8.33	-38.21
INCHES	(50 YDS)	-.75	-.05	.00	-.70	-2.29	-4.89	-8.65	-38.75
(ZERO RANGE)	(75 YDS)	-.75	.18	.47	.00	-1.35	-3.72	-7.25	-36.41
	(100 YDS)	-.75	.52	1.14	1.01	.00	-2.03	-5.22	-33.03
MPBR ZERO	(120 YDS)	-.75	.84	1.78	1.97	1.28	-.43	-3.30	-29.83
WIND DRIFT	(10 MPH)	.00	.28	1.16	2.67	4.77	7.51	10.91	30.75
INCHES	(20 MPH)	.00	.56	2.31	5.34	9.55	15.02	21.81	61.51

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
-------------	--------	----	----	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 135 YARDS. SET ZERO AT 115 YARDS.

VELOCITY FPS		1900	1747	1612	1503	1401	1309	1227	1020
ENERGY FT-LB		1122	948	807	702	610	533	468	323
DROP INCHES		.00	-.31	-1.34	-3.20	-6.03	-9.96	-15.16	-52.05
BULLET PATH	(25 YDS)	-.75	.00	.04	-.76	-2.52	-5.39	-9.52	-42.15
INCHES	(50 YDS)	-.75	-.02	.00	-.82	-2.60	-5.48	-9.64	-42.34
(ZERO RANGE)	(75 YDS)	-.75	.25	.54	.00	-1.51	-4.12	-8.00	-39.62
	(100 YDS)	-.75	.63	1.30	1.13	.00	-2.24	-5.74	-35.85
MPBR ZERO	(115 YDS)	-.75	.89	1.82	1.91	1.04	-.93	-4.18	-33.24
WIND DRIFT	(10 MPH)	.00	.30	1.23	2.76	4.91	7.71	11.18	31.05
INCHES	(20 MPH)	.00	.60	2.46	5.53	9.83	15.42	22.36	62.09

MAXIMUM POINT BLANK RANGE IS 130 YARDS. SET ZERO AT 110 YARDS.

VELOCITY FPS		1800	1653	1540	1436	1341	1255	1182	998
ENERGY FT-LB		1007	849	737	641	559	489	434	309
DROP INCHES		.00	-.35	-1.49	-3.55	-6.67	-10.99	-16.69	-56.66
BULLET PATH	(25 YDS)	-.75	.00	-.04	-1.00	-3.01	-6.23	-10.83	-46.40
INCHES	(50 YDS)	-.75	.02	.00	-.94	-2.93	-6.13	-10.71	-46.20
(ZERO RANGE)	(75 YDS)	-.75	.33	.63	.00	-1.68	-4.57	-8.84	-43.07
	(100 YDS)	-.75	.75	1.47	1.26	.00	-2.47	-6.32	-38.87
MPBR ZERO	(110 YDS)	-.75	.94	1.84	1.83	.76	-1.52	-5.18	-36.98
WIND DRIFT	(10 MPH)	.00	.32	1.26	2.80	4.98	7.83	11.34	31.04
INCHES	(20 MPH)	.00	.64	2.52	5.60	9.96	15.65	22.68	62.07

MAXIMUM POINT BLANK RANGE IS 125 YARDS. SET ZERO AT 105 YARDS.

VELOCITY FPS		1700	1575	1469	1370	1281	1203	1141	976
ENERGY FT-LB		898	771	670	584	510	450	404	296
DROP INCHES		.00	-.39	-1.66	-3.94	-7.37	-12.13	-18.38	-61.66
BULLET PATH	(25 YDS)	-.75	.00	-.13	-1.26	-3.55	-7.17	-12.28	-50.99
INCHES	(50 YDS)	-.75	.06	.00	-1.07	-3.30	-6.85	-11.90	-50.36
(ZERO RANGE)	(75 YDS)	-.75	.42	.71	.00	-1.87	-5.07	-9.76	-46.79
	(100 YDS)	-.75	.89	1.65	1.40	.00	-2.73	-6.95	-42.11
MPBR ZERO	(105 YDS)	-.75	.99	1.86	1.71	.41	-2.21	-6.33	-41.07
WIND DRIFT	(10 MPH)	.00	.32	1.23	2.77	4.97	7.83	11.34	30.67
INCHES	(20 MPH)	.00	.63	2.46	5.54	9.93	15.67	22.68	61.35

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS		1600	1491	1391	1300	1219	1153	1099	954
ENERGY FT-LB		795	691	601	525	462	413	375	283
DROP INCHES		.00	-.44	-1.86	-4.40	-8.23	-13.51	-20.43	-67.59
BULLET PATH	(25 YDS)	-.75	.00	-.23	-1.58	-4.22	-8.32	-14.05	-56.45
INCHES	(50 YDS)	-.75	.11	.00	-1.24	-3.76	-7.74	-13.36	-55.30
(ZERO RANGE)	(75 YDS)	-.75	.53	.83	.00	-2.11	-5.68	-10.88	-51.17
	(100 YDS)	-.75	1.06	1.88	1.58	.00	-3.04	-7.72	-45.90
MPBR ZERO	(100 YDS)	-.75	1.06	1.88	1.58	.00	-3.04	-7.72	-45.90
WIND DRIFT	(10 MPH)	.00	.30	1.21	2.78	5.02	7.91	11.39	30.25
INCHES	(20 MPH)	.00	.59	2.42	5.56	10.04	15.81	22.77	60.50

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS		1500	1399	1307	1225	1158	1103	1057	929
--------------	--	------	------	------	------	------	------	------	-----

ENERGY FT-LB	699	608	531	466	417	378	347	268
DROP INCHES	.00	-.50	-2.11	-5.00	-9.33	-15.28	-23.01	-74.79
BULLET PATH (25 YDS)	-.75	.00	-.36	-1.99	-5.07	-9.77	-16.25	-63.02
INCHES (50 YDS)	-.75	.18	.00	-1.45	-4.35	-8.87	-15.16	-61.21
(ZERO RANGE) (75 YDS)	-.75	.66	.97	.00	-2.41	-6.45	-12.26	-56.37
(100 YDS)	-.75	1.27	2.18	1.81	.00	-3.43	-8.64	-50.34
MPBR ZERO (95 YDS)	-.75	1.14	1.92	1.43	-.51	-4.07	-9.41	-51.62
WIND DRIFT (10 MPH)	.00	.31	1.28	2.91	5.20	8.08	11.51	29.80
INCHES (20 MPH)	.00	.63	2.56	5.83	10.40	16.17	23.02	59.61

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS	1400	1308	1226	1159	1103	1058	1019	905
ENERGY FT-LB	609	531	467	417	378	347	323	255
DROP INCHES	.00	-.58	-2.42	-5.71	-10.62	-17.31	-25.93	-82.72
BULLET PATH (25 YDS)	-.75	.00	-.52	-2.49	-6.07	-11.43	-18.73	-70.21
INCHES (50 YDS)	-.75	.26	.00	-1.70	-5.03	-10.13	-17.17	-67.61
(ZERO RANGE) (75 YDS)	-.75	.83	1.14	.00	-2.75	-7.28	-13.76	-61.92
(100 YDS)	-.75	1.52	2.51	2.06	.00	-3.84	-9.63	-55.04
MPBR ZERO (90 YDS)	-.75	1.23	1.94	1.21	-1.14	-5.28	-11.34	-57.90
WIND DRIFT (10 MPH)	.00	.33	1.33	2.98	5.23	8.03	11.31	28.75
INCHES (20 MPH)	.00	.66	2.66	5.97	10.46	16.05	22.63	57.49

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS	1300	1266	1234	1204	1178	1153	1099	1054
ENERGY FT-LB	525	498	473	451	431	413	375	345
DROP INCHES	.00	-.10	-.42	-.97	-1.76	-2.80	-6.55	-12.11
BULLET PATH (20 YDS)	-.75	-.27	.00	.04	-.16	-.61	-2.91	-7.00
INCHES (30 YDS)	-.75	-.28	-.03	.00	-.21	-.68	-3.00	-7.12
(ZERO RANGE) (40 YDS)	-.75	-.23	.08	.16	.00	-.41	-2.60	-6.59
(50 YDS)	-.75	-.14	.25	.41	.33	.00	-1.99	-5.77
MPBR ZERO (85 YDS)	-.75	.24	1.02	1.56	1.87	1.93	.90	-1.92
WIND DRIFT (10 MPH)	.00	.05	.22	.48	.85	1.32	2.90	5.02
INCHES (20 MPH)	.00	.11	.43	.97	1.71	2.65	5.80	10.03

MAXIMUM POINT BLANK RANGE IS 95 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS	1200	1173	1149	1126	1105	1086	1043	1007
ENERGY FT-LB	447	428	410	394	380	366	338	315
DROP INCHES	.00	-.12	-.49	-1.13	-2.04	-3.23	-7.52	-13.81
BULLET PATH (20 YDS)	-.75	-.25	.00	-.01	-.30	-.87	-3.61	-8.34
INCHES (30 YDS)	-.75	-.24	.01	.00	-.28	-.85	-3.57	-8.29
(ZERO RANGE) (40 YDS)	-.75	-.17	.15	.21	.00	-.50	-3.04	-7.59
(50 YDS)	-.75	-.07	.35	.51	.40	.00	-2.30	-6.59
MPBR ZERO (80 YDS)	-.75	.30	1.10	1.63	1.89	1.87	.51	-2.85
WIND DRIFT (10 MPH)	.00	.05	.19	.43	.76	1.18	2.59	4.47
INCHES (20 MPH)	.00	.10	.39	.87	1.53	2.36	5.17	8.94

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS	1100	1080	1063	1046	1031	1016	983	954
ENERGY FT-LB	376	363	351	340	330	321	300	283
DROP INCHES	.00	-.14	-.58	-1.33	-2.40	-3.79	-8.75	-15.96
BULLET PATH (20 YDS)	-.75	-.23	.00	-.08	-.48	-1.20	-4.50	-10.04
INCHES (30 YDS)	-.75	-.20	.05	.00	-.37	-1.07	-4.30	-9.78
(ZERO RANGE) (40 YDS)	-.75	-.11	.24	.28	.00	-.60	-3.61	-8.85
(50 YDS)	-.75	.01	.48	.64	.48	.00	-2.70	-7.64
MPBR ZERO (75 YDS)	-.75	.37	1.20	1.72	1.92	1.80	.00	-4.04
WIND DRIFT (10 MPH)	.00	.04	.17	.37	.66	1.01	2.21	3.84
INCHES (20 MPH)	.00	.09	.34	.75	1.31	2.02	4.43	7.68

MAXIMUM POINT BLANK RANGE IS 85 YARDS. SET ZERO AT 70 YARDS.

VELOCITY FPS	1000	987	974	963	951	941	916	890
ENERGY FT-LB	310	302	295	288	281	275	260	246
DROP INCHES	.00	-.17	-.70	-1.59	-2.86	-4.51	-10.36	-18.80
BULLET PATH (20 YDS)	-.75	-.20	.00	-.17	-.71	-1.63	-5.67	-12.30

INCHES	(30 YDS)	-.75	-.14	.11	.00	-.49	-1.35	-5.25	-11.74
(ZERO RANGE)	(40 YDS)	-.75	-.02	.36	.37	.00	-.75	-4.34	-10.52
	(50 YDS)	-.75	.13	.65	.81	.60	.00	-3.22	-9.03
MPBR ZERO	(70 YDS)	-.75	.47	1.33	1.83	1.95	1.70	-.68	-5.64
WIND DRIFT	(10 MPH)	.00	.03	.14	.31	.54	.84	1.86	3.26
INCHES	(20 MPH)	.00	.07	.27	.61	1.08	1.68	3.72	6.52

MAXIMUM POINT BLANK RANGE IS 75 YARDS. SET ZERO AT 60 YARDS.

VELOCITY FPS		900	887	876	864	854	843	818	794
ENERGY FT-LB		251	245	238	232	226	221	208	196
DROP INCHES		.00	-.21	-.86	-1.96	-3.53	-5.57	-12.83	-23.33
BULLET PATH	(20 YDS)	-.75	-.15	.00	-.30	-1.06	-2.30	-7.55	-16.04
INCHES	(30 YDS)	-.75	-.06	.20	.00	-.66	-1.80	-6.81	-15.05
(ZERO RANGE)	(40 YDS)	-.75	.11	.53	.50	.00	-.97	-5.56	-13.40
	(50 YDS)	-.75	.30	.92	1.08	.78	.00	-4.11	-11.45
MPBR ZERO	(60 YDS)	-.75	.52	1.34	1.71	1.62	1.05	-2.52	-9.34
WIND DRIFT	(10 MPH)	.00	.04	.16	.36	.63	.99	2.21	3.92
INCHES	(20 MPH)	.00	.08	.32	.72	1.27	1.98	4.43	7.84

MAXIMUM POINT BLANK RANGE IS 70 YARDS. SET ZERO AT 55 YARDS.

VELOCITY FPS		800	790	781	772	763	755	734	714
ENERGY FT-LB		198	194	189	185	181	177	167	158
DROP INCHES		.00	-.25	-1.06	-2.44	-4.40	-6.95	-16.03	-29.13
BULLET PATH	(20 YDS)	-.75	-.10	.00	-.47	-1.52	-3.17	-9.98	-20.82
INCHES	(30 YDS)	-.75	.06	.31	.00	-.90	-2.39	-8.80	-19.25
(ZERO RANGE)	(40 YDS)	-.75	.28	.76	.67	.00	-1.27	-7.13	-17.01
	(50 YDS)	-.75	.54	1.27	1.43	1.01	.00	-5.23	-14.48
MPBR ZERO	(55 YDS)	-.75	.67	1.53	1.83	1.55	.67	-4.22	-13.14
WIND DRIFT	(10 MPH)	.00	.04	.16	.35	.62	.98	2.20	3.93
INCHES	(20 MPH)	.00	.08	.31	.70	1.25	1.95	4.40	7.86