

.357 Dia., 158 Gr. JSP/158 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
MAXIMUM POINT BLANK RANGE IS 165 YARDS. SET ZERO AT 140 YARDS.								
VELOCITY FPS	2500	2288	2088	1933	1786	1647	1546	1213
ENERGY FT-LB	2192	1836	1530	1311	1119	951	838	516
DROP INCHES	.00	-.18	-.78	-1.87	-3.55	-5.91	-9.06	-32.06
BULLET PATH (25 YDS)	-.75	.00	.33	.17	-.57	-2.00	-4.21	-23.48
INCHES (50 YDS)	-.75	-.17	.00	-.33	-1.24	-2.83	-5.22	-25.15
(ZERO RANGE) (75 YDS)	-.75	-.06	.22	.00	-.80	-2.28	-4.56	-24.06
(100 YDS)	-.75	.14	.62	.60	.00	-1.28	-3.36	-22.06
MPBR ZERO (140 YDS)	-.75	.58	1.49	1.90	1.73	.88	-.76	-17.73
WIND DRIFT (10 MPH)	.00	.24	1.00	2.29	4.11	6.53	9.52	27.14
INCHES (20 MPH)	.00	.48	2.00	4.58	8.22	13.05	19.04	54.29

MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.								
VELOCITY FPS	2400	2192	2015	1863	1720	1599	1501	1184
ENERGY FT-LB	2020	1686	1424	1218	1037	897	790	492
DROP INCHES	.00	-.20	-.85	-2.03	-3.84	-6.39	-9.78	-34.36
BULLET PATH (25 YDS)	-.75	.00	.30	.06	-.80	-2.40	-4.84	-25.63
INCHES (50 YDS)	-.75	-.15	.00	-.39	-1.40	-3.14	-5.74	-27.12
(ZERO RANGE) (75 YDS)	-.75	-.02	.26	.00	-.88	-2.50	-4.97	-25.83
(100 YDS)	-.75	.20	.70	.66	.00	-1.40	-3.64	-23.63
MPBR ZERO (135 YDS)	-.75	.61	1.51	1.88	1.62	.63	-1.21	-19.58
WIND DRIFT (10 MPH)	.00	.25	1.05	2.36	4.23	6.71	9.73	27.57
INCHES (20 MPH)	.00	.51	2.09	4.72	8.46	13.42	19.45	55.14

MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.								
VELOCITY FPS	2300	2097	1942	1794	1655	1552	1457	1158
ENERGY FT-LB	1855	1543	1323	1129	960	845	745	470
DROP INCHES	.00	-.22	-.92	-2.21	-4.16	-6.91	-10.56	-36.82
BULLET PATH (25 YDS)	-.75	.00	.26	-.06	-1.05	-2.83	-5.52	-27.91
INCHES (50 YDS)	-.75	-.13	.00	-.45	-1.57	-3.48	-6.29	-29.21
(ZERO RANGE) (75 YDS)	-.75	.02	.30	.00	-.97	-2.73	-5.40	-27.72
(100 YDS)	-.75	.26	.78	.73	.00	-1.52	-3.94	-25.28
MPBR ZERO (135 YDS)	-.75	.70	1.66	2.05	1.76	.68	-1.30	-20.89
WIND DRIFT (10 MPH)	.00	.27	1.07	2.40	4.32	6.82	9.86	27.86
INCHES (20 MPH)	.00	.54	2.14	4.80	8.65	13.65	19.72	55.72

MAXIMUM POINT BLANK RANGE IS 155 YARDS. SET ZERO AT 130 YARDS.								
VELOCITY FPS	2200	2020	1869	1725	1603	1505	1413	1133
ENERGY FT-LB	1697	1432	1225	1043	901	794	700	450
DROP INCHES	.00	-.24	-1.00	-2.39	-4.51	-7.48	-11.40	-39.46
BULLET PATH (25 YDS)	-.75	.00	.22	-.19	-1.32	-3.30	-6.24	-30.35
INCHES (50 YDS)	-.75	-.11	.00	-.51	-1.76	-3.84	-6.89	-31.44
(ZERO RANGE) (75 YDS)	-.75	.06	.34	.00	-1.07	-2.99	-5.87	-29.73
(100 YDS)	-.75	.33	.88	.80	.00	-1.65	-4.26	-27.05
MPBR ZERO (130 YDS)	-.75	.73	1.68	2.01	1.61	.36	-1.85	-23.03
WIND DRIFT (10 MPH)	.00	.27	1.07	2.42	4.38	6.87	9.93	28.02
INCHES (20 MPH)	.00	.55	2.14	4.84	8.75	13.75	19.85	56.03

MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.								
VELOCITY FPS	2100	1944	1796	1656	1553	1458	1370	1109
ENERGY FT-LB	1546	1326	1132	962	846	746	658	431
DROP INCHES	.00	-.26	-1.09	-2.59	-4.88	-8.08	-12.29	-42.26
BULLET PATH (25 YDS)	-.75	.00	.17	-.32	-1.61	-3.80	-7.01	-32.95
INCHES (50 YDS)	-.75	-.09	.00	-.59	-1.96	-4.24	-7.53	-33.82
(ZERO RANGE) (75 YDS)	-.75	.11	.39	.00	-1.18	-3.26	-6.36	-31.87
(100 YDS)	-.75	.40	.98	.88	.00	-1.79	-4.59	-28.92
MPBR ZERO (125 YDS)	-.75	.76	1.69	1.95	1.43	.00	-2.45	-25.35
WIND DRIFT (10 MPH)	.00	.25	1.02	2.39	4.34	6.82	9.88	27.98
INCHES (20 MPH)	.00	.49	2.05	4.78	8.68	13.65	19.76	55.95

MAXIMUM POINT BLANK RANGE IS 145 YARDS. SET ZERO AT 120 YARDS.

VELOCITY FPS		2000	1849	1706	1589	1492	1401	1318	1082
ENERGY FT-LB		1403	1199	1021	886	781	689	609	410
DROP INCHES		.00	-.28	-1.20	-2.86	-5.39	-8.89	-13.50	-45.99
BULLET PATH	(25 YDS)	-.75	.00	.11	-.52	-2.01	-4.48	-8.05	-36.41
INCHES	(50 YDS)	-.75	-.06	.00	-.69	-2.24	-4.76	-8.40	-36.98
(ZERO RANGE)	(75 YDS)	-.75	.17	.46	.00	-1.32	-3.62	-7.02	-34.69
	(100 YDS)	-.75	.50	1.12	.99	.00	-1.97	-5.04	-31.39
MPBR ZERO	(120 YDS)	-.75	.81	1.74	1.92	1.24	-.42	-3.18	-28.29
WIND DRIFT	(10 MPH)	.00	.26	1.10	2.53	4.50	7.03	10.15	28.40
INCHES	(20 MPH)	.00	.53	2.19	5.06	9.00	14.06	20.29	56.80

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
-------------	--------	----	----	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 140 YARDS. SET ZERO AT 115 YARDS.

VELOCITY FPS		1900	1754	1624	1524	1431	1345	1267	1056
ENERGY FT-LB		1266	1079	925	815	718	635	563	391
DROP INCHES		.00	-.31	-1.33	-3.17	-5.95	-9.79	-14.83	-50.05
BULLET PATH	(25 YDS)	-.75	.00	.04	-.73	-2.45	-5.22	-9.20	-40.17
INCHES	(50 YDS)	-.75	-.02	.00	-.80	-2.53	-5.33	-9.33	-40.38
(ZERO RANGE)	(75 YDS)	-.75	.24	.53	.00	-1.47	-4.00	-7.73	-37.72
	(100 YDS)	-.75	.61	1.27	1.10	.00	-2.16	-5.53	-34.05
MPBR ZERO	(115 YDS)	-.75	.86	1.77	1.86	1.01	-.90	-4.01	-31.52
WIND DRIFT	(10 MPH)	.00	.28	1.17	2.61	4.60	7.17	10.33	28.60
INCHES	(20 MPH)	.00	.57	2.34	5.22	9.20	14.33	20.66	57.21

MAXIMUM POINT BLANK RANGE IS 130 YARDS. SET ZERO AT 110 YARDS.

VELOCITY FPS		1800	1660	1555	1460	1372	1291	1219	1032
ENERGY FT-LB		1136	966	848	748	660	585	521	374
DROP INCHES		.00	-.35	-1.48	-3.52	-6.57	-10.78	-16.29	-54.43
BULLET PATH	(25 YDS)	-.75	.00	-.03	-.97	-2.92	-6.03	-10.44	-44.19
INCHES	(50 YDS)	-.75	.02	.00	-.92	-2.85	-5.94	-10.34	-44.02
(ZERO RANGE)	(75 YDS)	-.75	.32	.61	.00	-1.63	-4.42	-8.51	-40.96
	(100 YDS)	-.75	.73	1.43	1.22	.00	-2.38	-6.06	-36.88
MPBR ZERO	(110 YDS)	-.75	.91	1.79	1.77	.73	-1.46	-4.96	-35.05
WIND DRIFT	(10 MPH)	.00	.30	1.19	2.62	4.61	7.20	10.39	28.49
INCHES	(20 MPH)	.00	.61	2.39	5.24	9.22	14.39	20.77	56.99

MAXIMUM POINT BLANK RANGE IS 125 YARDS. SET ZERO AT 105 YARDS.

VELOCITY FPS		1700	1585	1488	1397	1314	1239	1176	1010
ENERGY FT-LB		1013	881	776	685	606	539	485	358
DROP INCHES		.00	-.39	-1.64	-3.88	-7.23	-11.84	-17.87	-59.09
BULLET PATH	(25 YDS)	-.75	.00	-.11	-1.21	-3.42	-6.89	-11.78	-48.44
INCHES	(50 YDS)	-.75	.06	.00	-1.04	-3.20	-6.61	-11.43	-47.87
(ZERO RANGE)	(75 YDS)	-.75	.40	.69	.00	-1.81	-4.87	-9.35	-44.40
	(100 YDS)	-.75	.86	1.60	1.36	.00	-2.61	-6.64	-39.88
MPBR ZERO	(105 YDS)	-.75	.96	1.80	1.65	.40	-2.12	-6.04	-38.89
WIND DRIFT	(10 MPH)	.00	.30	1.13	2.52	4.49	7.07	10.25	27.96
INCHES	(20 MPH)	.00	.59	2.25	5.03	8.99	14.14	20.50	55.93

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS		1600	1502	1410	1326	1250	1184	1131	985
ENERGY FT-LB		897	791	697	617	548	492	449	340
DROP INCHES		.00	-.44	-1.84	-4.33	-8.06	-13.18	-19.85	-64.87
BULLET PATH	(25 YDS)	-.75	.00	-.22	-1.53	-4.07	-8.00	-13.48	-53.76
INCHES	(50 YDS)	-.75	.11	.00	-1.20	-3.64	-7.46	-12.83	-52.68
(ZERO RANGE)	(75 YDS)	-.75	.51	.80	.00	-2.03	-5.46	-10.43	-48.68
	(100 YDS)	-.75	1.02	1.82	1.53	.00	-2.92	-7.38	-43.59
MPBR ZERO	(100 YDS)	-.75	1.02	1.82	1.53	.00	-2.92	-7.38	-43.59
WIND DRIFT	(10 MPH)	.00	.27	1.09	2.49	4.49	7.10	10.26	27.55
INCHES	(20 MPH)	.00	.53	2.17	4.98	8.99	14.20	20.51	55.11

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS		1500	1408	1324	1248	1183	1130	1085	958
--------------	--	------	------	------	------	------	------	------	-----

ENERGY FT-LB		789	696	615	547	491	448	413	322
DROP INCHES		.00	-.50	-2.09	-4.93	-9.15	-14.93	-22.40	-72.06
BULLET PATH	(25 YDS)	-.75	.00	-.34	-1.93	-4.91	-9.43	-15.66	-60.31
INCHES	(50 YDS)	-.75	.17	.00	-1.41	-4.22	-8.57	-14.62	-58.59
(ZERO RANGE)	(75 YDS)	-.75	.64	.94	.00	-2.34	-6.22	-11.80	-53.89
	(100 YDS)	-.75	1.23	2.11	1.75	.00	-3.30	-8.30	-48.05
MPBR ZERO	(95 YDS)	-.75	1.10	1.86	1.38	-.49	-3.92	-9.04	-49.29
WIND DRIFT	(10 MPH)	.00	.28	1.15	2.62	4.68	7.30	10.42	27.22
INCHES	(20 MPH)	.00	.57	2.30	5.23	9.37	14.60	20.85	54.44

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS		1400	1316	1241	1177	1125	1081	1043	932
ENERGY FT-LB		687	608	540	486	444	410	382	305
DROP INCHES		.00	-.57	-2.40	-5.63	-10.44	-16.95	-25.32	-79.99
BULLET PATH	(25 YDS)	-.75	.00	-.50	-2.42	-5.89	-11.08	-18.13	-67.51
INCHES	(50 YDS)	-.75	.25	.00	-1.66	-4.89	-9.83	-16.62	-65.00
(ZERO RANGE)	(75 YDS)	-.75	.81	1.11	.00	-2.67	-7.06	-13.30	-59.46
	(100 YDS)	-.75	1.47	2.44	2.00	.00	-3.72	-9.29	-52.78
MPBR ZERO	(90 YDS)	-.75	1.20	1.89	1.17	-1.11	-5.10	-10.95	-55.55
WIND DRIFT	(10 MPH)	.00	.30	1.20	2.69	4.73	7.28	10.28	26.27
INCHES	(20 MPH)	.00	.59	2.39	5.38	9.47	14.55	20.56	52.54

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS		1300	1269	1240	1213	1188	1166	1115	1072
ENERGY FT-LB		592	565	540	516	495	476	436	403
DROP INCHES		.00	-.10	-.42	-.96	-1.74	-2.77	-6.47	-11.92
BULLET PATH	(20 YDS)	-.75	-.27	.00	.04	-.15	-.60	-2.84	-6.82
INCHES	(30 YDS)	-.75	-.28	-.03	.00	-.21	-.66	-2.94	-6.96
(ZERO RANGE)	(40 YDS)	-.75	-.23	.08	.16	.00	-.40	-2.55	-6.43
	(50 YDS)	-.75	-.15	.24	.40	.32	.00	-1.94	-5.63
MPBR ZERO	(85 YDS)	-.75	.23	.99	1.53	1.83	1.88	.88	-1.86
WIND DRIFT	(10 MPH)	.00	.05	.19	.44	.77	1.20	2.62	4.54
INCHES	(20 MPH)	.00	.10	.39	.87	1.54	2.39	5.24	9.08

MAXIMUM POINT BLANK RANGE IS 100 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS		1200	1176	1155	1134	1115	1097	1057	1023
ENERGY FT-LB		505	485	467	451	436	422	392	367
DROP INCHES		.00	-.12	-.49	-1.12	-2.03	-3.21	-7.44	-13.61
BULLET PATH	(20 YDS)	-.75	-.25	.00	-.01	-.29	-.85	-3.53	-8.15
INCHES	(30 YDS)	-.75	-.25	.01	.00	-.28	-.83	-3.50	-8.12
(ZERO RANGE)	(40 YDS)	-.75	-.18	.15	.21	.00	-.49	-2.99	-7.42
	(50 YDS)	-.75	-.08	.34	.50	.39	.00	-2.26	-6.45
MPBR ZERO	(80 YDS)	-.75	.29	1.07	1.60	1.86	1.83	.50	-2.78
WIND DRIFT	(10 MPH)	.00	.04	.17	.39	.68	1.05	2.31	4.01
INCHES	(20 MPH)	.00	.09	.34	.77	1.36	2.11	4.63	8.02

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS		1100	1083	1067	1052	1038	1025	994	967
ENERGY FT-LB		424	411	399	388	378	368	347	328
DROP INCHES		.00	-.14	-.58	-1.33	-2.38	-3.76	-8.67	-15.78
BULLET PATH	(20 YDS)	-.75	-.23	.00	-.08	-.47	-1.18	-4.43	-9.87
INCHES	(30 YDS)	-.75	-.20	.05	.00	-.37	-1.05	-4.24	-9.61
(ZERO RANGE)	(40 YDS)	-.75	-.11	.23	.27	.00	-.60	-3.55	-8.70
	(50 YDS)	-.75	.01	.47	.63	.48	.00	-2.66	-7.51
MPBR ZERO	(75 YDS)	-.75	.36	1.18	1.69	1.89	1.77	.00	-3.96
WIND DRIFT	(10 MPH)	.00	.04	.15	.33	.58	.90	1.98	3.44
INCHES	(20 MPH)	.00	.08	.30	.66	1.17	1.80	3.96	6.87

MAXIMUM POINT BLANK RANGE IS 85 YARDS. SET ZERO AT 70 YARDS.

VELOCITY FPS		1000	988	977	967	957	947	924	903
ENERGY FT-LB		350	342	335	328	321	314	299	286
DROP INCHES		.00	-.17	-.70	-1.59	-2.85	-4.49	-10.29	-18.63
BULLET PATH	(20 YDS)	-.75	-.20	.00	-.17	-.70	-1.62	-5.61	-12.14

INCHES	(30 YDS)	-.75	-.14	.11	.00	-.48	-1.34	-5.19	-11.59
(ZERO RANGE)	(40 YDS)	-.75	-.02	.35	.36	.00	-.74	-4.29	-10.38
	(50 YDS)	-.75	.13	.65	.81	.59	.00	-3.18	-8.90
MPBR ZERO	(70 YDS)	-.75	.46	1.32	1.81	1.93	1.68	-.67	-5.55
WIND DRIFT	(10 MPH)	.00	.03	.12	.27	.48	.75	1.65	2.90
INCHES	(20 MPH)	.00	.06	.24	.54	.96	1.49	3.31	5.80

MAXIMUM POINT BLANK RANGE IS 75 YARDS. SET ZERO AT 60 YARDS.

VELOCITY FPS		900	888	878	867	857	847	824	801
ENERGY FT-LB		284	277	270	264	257	252	238	225
DROP INCHES		.00	-.21	-.85	-1.95	-3.51	-5.54	-12.76	-23.17
BULLET PATH	(20 YDS)	-.75	-.16	.00	-.29	-1.05	-2.28	-7.49	-15.90
INCHES	(30 YDS)	-.75	-.06	.20	.00	-.66	-1.79	-6.75	-14.91
(ZERO RANGE)	(40 YDS)	-.75	.11	.53	.49	.00	-.97	-5.52	-13.27
	(50 YDS)	-.75	.30	.91	1.07	.77	.00	-4.07	-11.34
MPBR ZERO	(60 YDS)	-.75	.51	1.33	1.70	1.61	1.05	-2.50	-9.24
WIND DRIFT	(10 MPH)	.00	.04	.15	.33	.58	.91	2.04	3.61
INCHES	(20 MPH)	.00	.07	.29	.66	1.17	1.82	4.08	7.22

MAXIMUM POINT BLANK RANGE IS 70 YARDS. SET ZERO AT 55 YARDS.

VELOCITY FPS		800	791	783	774	766	758	739	720
ENERGY FT-LB		224	219	215	210	206	201	191	182
DROP INCHES		.00	-.25	-1.06	-2.43	-4.38	-6.92	-15.94	-28.93
BULLET PATH	(20 YDS)	-.75	-.10	.00	-.47	-1.51	-3.15	-9.91	-20.64
INCHES	(30 YDS)	-.75	.06	.31	.00	-.89	-2.37	-8.74	-19.08
(ZERO RANGE)	(40 YDS)	-.75	.28	.76	.67	.00	-1.26	-7.07	-16.85
	(50 YDS)	-.75	.53	1.26	1.42	1.01	.00	-5.18	-14.33
MPBR ZERO	(55 YDS)	-.75	.66	1.53	1.82	1.54	.66	-4.19	-13.01
WIND DRIFT	(10 MPH)	.00	.04	.14	.32	.57	.90	2.02	3.61
INCHES	(20 MPH)	.00	.07	.29	.64	1.15	1.79	4.05	7.22