

.357 Dia., 170 Gr. JHC Power Jacket

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
MAXIMUM POINT BLANK RANGE IS 165 YARDS. SET ZERO AT 140 YARDS.								
VELOCITY FPS	2400	2207	2041	1905	1776	1652	1559	1245
ENERGY FT-LB	2173	1839	1572	1370	1190	1031	918	585
DROP INCHES	.00	-.20	-.84	-2.00	-3.77	-6.22	-9.46	-32.52
BULLET PATH (25 YDS)	-.75	.00	.30	.09	-.73	-2.23	-4.53	-23.80
INCHES (50 YDS)	-.75	-.15	.00	-.37	-1.34	-2.99	-5.44	-25.32
(ZERO RANGE) (75 YDS)	-.75	-.03	.25	.00	-.84	-2.38	-4.70	-24.10
(100 YDS)	-.75	.18	.67	.63	.00	-1.32	-3.44	-21.98
MPBR ZERO (140 YDS)	-.75	.63	1.56	1.97	1.78	.90	-.77	-17.54
WIND DRIFT (10 MPH)	.00	.23	.97	2.16	3.83	6.04	8.76	24.79
INCHES (20 MPH)	.00	.47	1.93	4.32	7.67	12.08	17.53	49.58

MAXIMUM POINT BLANK RANGE IS 160 YARDS. SET ZERO AT 135 YARDS.								
VELOCITY FPS	2300	2112	1971	1838	1712	1603	1513	1213
ENERGY FT-LB	1996	1684	1466	1275	1106	970	864	555
DROP INCHES	.00	-.21	-.91	-2.17	-4.07	-6.72	-10.20	-34.86
BULLET PATH (25 YDS)	-.75	.00	.27	-.03	-.96	-2.64	-5.16	-25.96
INCHES (50 YDS)	-.75	-.13	.00	-.43	-1.50	-3.31	-5.96	-27.29
(ZERO RANGE) (75 YDS)	-.75	.01	.28	.00	-.93	-2.60	-5.11	-25.86
(100 YDS)	-.75	.24	.75	.70	.00	-1.44	-3.72	-23.54
MPBR ZERO (135 YDS)	-.75	.66	1.58	1.94	1.66	.64	-1.23	-19.39
WIND DRIFT (10 MPH)	.00	.25	.98	2.18	3.88	6.12	8.86	25.03
INCHES (20 MPH)	.00	.50	1.97	4.36	7.76	12.24	17.71	50.07

MAXIMUM POINT BLANK RANGE IS 155 YARDS. SET ZERO AT 130 YARDS.								
VELOCITY FPS	2200	2035	1900	1770	1648	1555	1468	1183
ENERGY FT-LB	1826	1564	1362	1183	1025	913	813	528
DROP INCHES	.00	-.23	-.99	-2.35	-4.41	-7.25	-11.00	-37.36
BULLET PATH (25 YDS)	-.75	.00	.23	-.15	-1.22	-3.08	-5.85	-28.26
INCHES (50 YDS)	-.75	-.11	.00	-.49	-1.67	-3.65	-6.52	-29.39
(ZERO RANGE) (75 YDS)	-.75	.05	.33	.00	-1.02	-2.83	-5.55	-27.76
(100 YDS)	-.75	.30	.84	.76	.00	-1.56	-4.02	-25.22
MPBR ZERO (130 YDS)	-.75	.68	1.60	1.90	1.52	.34	-1.74	-21.42
WIND DRIFT (10 MPH)	.00	.25	.96	2.16	3.89	6.13	8.87	25.15
INCHES (20 MPH)	.00	.51	1.93	4.32	7.78	12.27	17.74	50.30

MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.								
VELOCITY FPS	2100	1962	1829	1703	1597	1507	1423	1156
ENERGY FT-LB	1664	1452	1263	1095	963	858	764	504
DROP INCHES	.00	-.25	-1.07	-2.54	-4.76	-7.82	-11.85	-40.00
BULLET PATH (25 YDS)	-.75	.00	.19	-.28	-1.49	-3.55	-6.57	-30.71
INCHES (50 YDS)	-.75	-.09	.00	-.56	-1.86	-4.02	-7.13	-31.64
(ZERO RANGE) (75 YDS)	-.75	.09	.37	.00	-1.12	-3.09	-6.01	-29.78
(100 YDS)	-.75	.37	.93	.84	.00	-1.69	-4.34	-26.98
MPBR ZERO (125 YDS)	-.75	.71	1.61	1.85	1.35	.00	-2.31	-23.61
WIND DRIFT (10 MPH)	.00	.22	.90	2.09	3.82	6.04	8.77	25.06
INCHES (20 MPH)	.00	.44	1.80	4.18	7.64	12.08	17.53	50.12

MAXIMUM POINT BLANK RANGE IS 145 YARDS. SET ZERO AT 120 YARDS.								
VELOCITY FPS	2000	1866	1738	1623	1532	1446	1366	1122
ENERGY FT-LB	1509	1314	1140	995	886	789	704	475
DROP INCHES	.00	-.28	-1.19	-2.81	-5.25	-8.63	-13.04	-43.71
BULLET PATH (25 YDS)	-.75	.00	.13	-.47	-1.88	-4.22	-7.61	-34.16
INCHES (50 YDS)	-.75	-.06	.00	-.66	-2.13	-4.54	-7.98	-34.78
(ZERO RANGE) (75 YDS)	-.75	.16	.44	.00	-1.26	-3.44	-6.67	-32.60
(100 YDS)	-.75	.47	1.07	.94	.00	-1.87	-4.78	-29.45
MPBR ZERO (120 YDS)	-.75	.77	1.66	1.83	1.18	-.39	-3.01	-26.50
WIND DRIFT (10 MPH)	.00	.23	.96	2.23	4.00	6.27	9.06	25.62
INCHES (20 MPH)	.00	.47	1.93	4.46	8.00	12.53	18.11	51.24

MAXIMUM POINT BLANK RANGE IS 140 YARDS. SET ZERO AT 115 YARDS.

VELOCITY FPS		1900	1770	1648	1555	1468	1386	1311	1092
ENERGY FT-LB		1362	1183	1025	913	813	725	649	450
DROP INCHES		.00	-.31	-1.32	-3.12	-5.81	-9.52	-14.36	-47.77
BULLET PATH	(25 YDS)	-.75	.00	.06	-.68	-2.32	-4.97	-8.74	-37.91
INCHES	(50 YDS)	-.75	-.03	.00	-.77	-2.43	-5.11	-8.91	-38.19
(ZERO RANGE)	(75 YDS)	-.75	.23	.51	.00	-1.41	-3.83	-7.38	-35.64
	(100 YDS)	-.75	.58	1.22	1.06	.00	-2.07	-5.27	-32.11
MPBR ZERO	(115 YDS)	-.75	.82	1.70	1.78	.97	-.86	-3.81	-29.70
WIND DRIFT	(10 MPH)	.00	.25	1.03	2.33	4.12	6.42	9.27	25.97
INCHES	(20 MPH)	.00	.50	2.06	4.66	8.23	12.84	18.53	51.94

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
-------------	--------	----	----	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 135 YARDS. SET ZERO AT 110 YARDS.

VELOCITY FPS		1800	1675	1576	1487	1404	1328	1258	1063
ENERGY FT-LB		1222	1059	937	835	744	665	597	426
DROP INCHES		.00	-.35	-1.47	-3.46	-6.43	-10.51	-15.82	-52.21
BULLET PATH	(25 YDS)	-.75	.00	-.02	-.92	-2.80	-5.78	-9.99	-41.99
INCHES	(50 YDS)	-.75	.01	.00	-.88	-2.75	-5.73	-9.93	-41.88
(ZERO RANGE)	(75 YDS)	-.75	.31	.59	.00	-1.57	-4.25	-8.16	-38.93
	(100 YDS)	-.75	.70	1.38	1.18	.00	-2.28	-5.80	-35.00
MPBR ZERO	(110 YDS)	-.75	.88	1.73	1.71	.70	-1.40	-4.74	-33.24
WIND DRIFT	(10 MPH)	.00	.27	1.07	2.36	4.15	6.49	9.37	26.05
INCHES	(20 MPH)	.00	.54	2.14	4.71	8.31	12.97	18.74	52.11

MAXIMUM POINT BLANK RANGE IS 125 YARDS. SET ZERO AT 105 YARDS.

VELOCITY FPS		1700	1594	1505	1421	1342	1271	1207	1037
ENERGY FT-LB		1090	959	855	762	680	610	550	406
DROP INCHES		.00	-.39	-1.63	-3.83	-7.11	-11.59	-17.42	-57.00
BULLET PATH	(25 YDS)	-.75	.00	-.10	-1.17	-3.31	-6.66	-11.35	-46.37
INCHES	(50 YDS)	-.75	.05	.00	-1.01	-3.10	-6.40	-11.04	-45.85
(ZERO RANGE)	(75 YDS)	-.75	.39	.68	.00	-1.75	-4.71	-9.01	-42.47
	(100 YDS)	-.75	.83	1.55	1.31	.00	-2.52	-6.38	-38.09
MPBR ZERO	(105 YDS)	-.75	.92	1.74	1.60	.38	-2.04	-5.81	-37.13
WIND DRIFT	(10 MPH)	.00	.27	1.02	2.29	4.08	6.42	9.31	25.75
INCHES	(20 MPH)	.00	.54	2.05	4.57	8.16	12.84	18.62	51.51

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS		1600	1510	1425	1347	1275	1210	1157	1009
ENERGY FT-LB		966	860	767	684	613	553	505	384
DROP INCHES		.00	-.43	-1.82	-4.28	-7.94	-12.93	-19.40	-62.83
BULLET PATH	(25 YDS)	-.75	.00	-.21	-1.48	-3.95	-7.76	-13.05	-51.74
INCHES	(50 YDS)	-.75	.10	.00	-1.17	-3.54	-7.25	-12.44	-50.71
(ZERO RANGE)	(75 YDS)	-.75	.49	.78	.00	-1.98	-5.29	-10.09	-46.80
	(100 YDS)	-.75	.99	1.77	1.48	.00	-2.82	-7.12	-41.86
MPBR ZERO	(100 YDS)	-.75	.99	1.77	1.48	.00	-2.82	-7.12	-41.86
WIND DRIFT	(10 MPH)	.00	.24	.99	2.27	4.09	6.47	9.38	25.51
INCHES	(20 MPH)	.00	.49	1.98	4.54	8.18	12.94	18.75	51.02

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS		1500	1416	1338	1267	1203	1151	1106	980
ENERGY FT-LB		849	756	676	606	546	500	462	362
DROP INCHES		.00	-.50	-2.08	-4.87	-9.02	-14.66	-21.94	-70.04
BULLET PATH	(25 YDS)	-.75	.00	-.33	-1.88	-4.78	-9.18	-15.21	-58.32
INCHES	(50 YDS)	-.75	.17	.00	-1.38	-4.11	-8.34	-14.21	-56.65
(ZERO RANGE)	(75 YDS)	-.75	.63	.92	.00	-2.27	-6.04	-11.45	-52.05
	(100 YDS)	-.75	1.19	2.06	1.70	.00	-3.20	-8.04	-46.37
MPBR ZERO	(95 YDS)	-.75	1.07	1.82	1.34	-.48	-3.80	-8.76	-47.57
WIND DRIFT	(10 MPH)	.00	.26	1.05	2.39	4.28	6.69	9.59	25.32
INCHES	(20 MPH)	.00	.52	2.10	4.77	8.55	13.38	19.18	50.64

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS		1400	1323	1253	1192	1142	1098	1061	951
--------------	--	------	------	------	------	------	------	------	-----

ENERGY FT-LB		739	661	593	536	492	455	425	341
DROP INCHES		.00	-.57	-2.38	-5.57	-10.29	-16.68	-24.86	-78.05
BULLET PATH	(25 YDS)	-.75	.00	-.49	-2.36	-5.76	-10.82	-17.68	-65.59
INCHES	(50 YDS)	-.75	.24	.00	-1.63	-4.78	-9.60	-16.21	-63.14
(ZERO RANGE)	(75 YDS)	-.75	.79	1.09	.00	-2.61	-6.89	-12.96	-57.72
	(100 YDS)	-.75	1.44	2.39	1.96	.00	-3.62	-9.04	-51.19
MPBR ZERO	(90 YDS)	-.75	1.17	1.85	1.15	-1.08	-4.98	-10.67	-53.90
WIND DRIFT	(10 MPH)	.00	.27	1.09	2.47	4.35	6.71	9.51	24.52
INCHES	(20 MPH)	.00	.54	2.18	4.93	8.70	13.42	19.02	49.03

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS		1300	1232	1175	1127	1085	1050	1019	923
ENERGY FT-LB		637	573	521	479	445	416	392	321
DROP INCHES		.00	-.66	-2.75	-6.41	-11.78	-18.99	-28.17	-86.91
BULLET PATH	(25 YDS)	-.75	.00	-.68	-2.93	-6.89	-12.69	-20.46	-73.55
INCHES	(50 YDS)	-.75	.34	.00	-1.91	-5.53	-10.99	-18.41	-70.15
(ZERO RANGE)	(75 YDS)	-.75	.98	1.27	.00	-2.98	-7.80	-14.59	-63.78
	(100 YDS)	-.75	1.72	2.77	2.24	.00	-4.08	-10.12	-56.32
MPBR ZERO	(85 YDS)	-.75	1.27	1.85	.86	-1.83	-6.36	-12.86	-60.89
WIND DRIFT	(10 MPH)	.00	.28	1.10	2.42	4.20	6.41	9.02	22.96
INCHES	(20 MPH)	.00	.55	2.20	4.83	8.40	12.82	18.03	45.92

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 100 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS		1200	1178	1158	1139	1121	1104	1066	1033
ENERGY FT-LB		543	524	506	489	474	460	429	403
DROP INCHES		.00	-.12	-.49	-1.12	-2.02	-3.19	-7.39	-13.49
BULLET PATH	(20 YDS)	-.75	-.25	.00	-.01	-.29	-.84	-3.48	-8.04
INCHES	(30 YDS)	-.75	-.25	.01	.00	-.27	-.82	-3.46	-8.01
(ZERO RANGE)	(40 YDS)	-.75	-.18	.14	.21	.00	-.48	-2.95	-7.32
	(50 YDS)	-.75	-.08	.34	.49	.39	.00	-2.23	-6.36
MPBR ZERO	(80 YDS)	-.75	.28	1.06	1.58	1.83	1.81	.49	-2.74
WIND DRIFT	(10 MPH)	.00	.04	.16	.36	.63	.97	2.14	3.72
INCHES	(20 MPH)	.00	.08	.32	.71	1.25	1.95	4.29	7.44

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS		1100	1084	1069	1055	1042	1030	1001	975
ENERGY FT-LB		456	443	431	420	410	400	378	359
DROP INCHES		.00	-.14	-.58	-1.32	-2.37	-3.75	-8.63	-15.67
BULLET PATH	(20 YDS)	-.75	-.23	.00	-.08	-.46	-1.17	-4.39	-9.77
INCHES	(30 YDS)	-.75	-.20	.05	.00	-.36	-1.04	-4.20	-9.51
(ZERO RANGE)	(40 YDS)	-.75	-.11	.23	.27	.00	-.59	-3.52	-8.61
	(50 YDS)	-.75	.01	.47	.63	.47	.00	-2.63	-7.42
MPBR ZERO	(75 YDS)	-.75	.36	1.17	1.68	1.88	1.75	.00	-3.92
WIND DRIFT	(10 MPH)	.00	.03	.14	.31	.54	.83	1.83	3.19
INCHES	(20 MPH)	.00	.07	.28	.61	1.08	1.67	3.67	6.38

MAXIMUM POINT BLANK RANGE IS 85 YARDS. SET ZERO AT 70 YARDS.

VELOCITY FPS		1000	989	979	969	960	951	929	909
ENERGY FT-LB		377	369	361	354	347	341	326	312
DROP INCHES		.00	-.17	-.70	-1.58	-2.84	-4.48	-10.24	-18.52
BULLET PATH	(20 YDS)	-.75	-.20	.00	-.16	-.70	-1.61	-5.57	-12.04
INCHES	(30 YDS)	-.75	-.14	.11	.00	-.48	-1.33	-5.16	-11.49
(ZERO RANGE)	(40 YDS)	-.75	-.02	.35	.36	.00	-.74	-4.26	-10.29
	(50 YDS)	-.75	.12	.64	.80	.59	.00	-3.16	-8.82
MPBR ZERO	(70 YDS)	-.75	.46	1.31	1.80	1.92	1.66	-.66	-5.50
WIND DRIFT	(10 MPH)	.00	.03	.11	.25	.44	.69	1.53	2.68
INCHES	(20 MPH)	.00	.06	.22	.50	.89	1.38	3.06	5.37

MAXIMUM POINT BLANK RANGE IS 75 YARDS. SET ZERO AT 60 YARDS.

VELOCITY FPS		900	890	880	870	861	852	831	811
ENERGY FT-LB		305	298	292	286	280	274	261	248
DROP INCHES		.00	-.21	-.85	-1.95	-3.50	-5.52	-12.67	-22.97
BULLET PATH	(20 YDS)	-.75	-.16	.00	-.29	-1.04	-2.26	-7.41	-15.71

INCHES	(30 YDS)	-.75	-.06	.19	.00	-.65	-1.77	-6.68	-14.73
(ZERO RANGE)	(40 YDS)	-.75	.10	.52	.49	.00	-.96	-5.46	-13.10
	(50 YDS)	-.75	.30	.90	1.06	.77	.00	-4.02	-11.19
MPBR ZERO	(60 YDS)	-.75	.50	1.32	1.69	1.59	1.04	-2.47	-9.12
WIND DRIFT	(10 MPH)	.00	.03	.13	.29	.52	.81	1.82	3.23
INCHES	(20 MPH)	.00	.07	.26	.59	1.04	1.63	3.64	6.46

MAXIMUM POINT BLANK RANGE IS 70 YARDS. SET ZERO AT 55 YARDS.

VELOCITY FPS		800	792	784	777	770	762	745	728
ENERGY FT-LB		241	236	232	228	223	219	209	200
DROP INCHES		.00	-.25	-1.05	-2.42	-4.35	-6.88	-15.82	-28.67
BULLET PATH	(20 YDS)	-.75	-.10	.00	-.46	-1.50	-3.13	-9.82	-20.41
INCHES	(30 YDS)	-.75	.06	.31	.00	-.88	-2.35	-8.66	-18.87
(ZERO RANGE)	(40 YDS)	-.75	.28	.75	.66	.00	-1.25	-7.00	-16.66
	(50 YDS)	-.75	.53	1.25	1.41	1.00	.00	-5.13	-14.16
MPBR ZERO	(55 YDS)	-.75	.66	1.51	1.81	1.52	.66	-4.14	-12.85
WIND DRIFT	(10 MPH)	.00	.03	.13	.29	.51	.80	1.80	3.22
INCHES	(20 MPH)	.00	.06	.26	.58	1.02	1.60	3.61	6.43

MAXIMUM POINT BLANK RANGE IS 60 YARDS. SET ZERO AT 50 YARDS.

VELOCITY FPS		700	693	687	681	675	669	654	640
ENERGY FT-LB		184	181	178	175	172	169	161	154
DROP INCHES		.00	-.32	-1.36	-3.14	-5.66	-8.95	-20.58	-37.28
BULLET PATH	(20 YDS)	-.75	-.01	.00	-.72	-2.19	-4.42	-13.41	-27.46
INCHES	(30 YDS)	-.75	.23	.48	.00	-1.23	-3.22	-11.61	-25.06
(ZERO RANGE)	(40 YDS)	-.75	.53	1.09	.92	.00	-1.68	-9.31	-22.00
	(50 YDS)	-.75	.87	1.77	1.93	1.35	.00	-6.78	-18.63
MPBR ZERO	(50 YDS)	-.75	.87	1.77	1.93	1.35	.00	-6.78	-18.63
WIND DRIFT	(10 MPH)	.00	.03	.14	.31	.55	.86	1.94	3.48
INCHES	(20 MPH)	.00	.07	.27	.62	1.10	1.72	3.89	6.95