

.375 Dia., 250 Gr. SBT

POINT BLANK RANGE COMPUTED FOR 5.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE	YARDS	MUZZLE	50	100	200	300	400	500	600	1000
MAXIMUM POINT BLANK RANGE IS 390 YARDS. SET ZERO AT 330 YARDS.										
VELOCITY FPS		3400	3251	3107	2833	2577	2345	2126	1921	1242
ENERGY FT-LB		6416	5866	5359	4456	3686	3052	2509	2048	857
DROP INCHES		.00	-.38	-1.58	-6.77	-16.30	-31.06	-52.17	-80.98	-316.72
BULLET PATH	(100 YDS)	-1.50	-.34	.00	-2.11	-8.55	-20.24	-38.26	-64.00	-287.41
INCHES	(200 YDS)	-1.50	.19	1.05	.00	-5.39	-16.03	-33.00	-57.68	-276.88
(ZERO RANGE)	(300 YDS)	-1.50	1.09	2.85	3.60	.00	-8.83	-24.01	-46.89	-258.90
	(400 YDS)	-1.50	2.19	5.06	8.01	6.63	.00	-12.96	-33.64	-236.81
MPBR ZERO	(330 YDS)	-1.50	1.40	3.47	4.84	1.87	-6.34	-20.89	-43.15	-252.67
WIND DRIFT	(10 MPH)	.00	.18	.72	2.98	7.00	12.95	21.07	31.66	107.43
INCHES	(20 MPH)	.00	.35	1.44	5.97	14.00	25.89	42.13	63.32	214.86

MAXIMUM POINT BLANK RANGE IS 385 YARDS. SET ZERO AT 325 YARDS.										
VELOCITY FPS		3300	3154	3014	2746	2498	2270	2056	1855	1202
ENERGY FT-LB		6044	5523	5042	4185	3464	2861	2347	1910	802
DROP INCHES		.00	-.40	-1.68	-7.19	-17.32	-33.04	-55.51	-86.23	-338.66
BULLET PATH	(100 YDS)	-1.50	-.31	.00	-2.33	-9.29	-21.83	-41.12	-68.66	-308.37
INCHES	(200 YDS)	-1.50	.27	1.17	.00	-5.79	-17.16	-35.28	-61.66	-296.70
(ZERO RANGE)	(300 YDS)	-1.50	1.23	3.10	3.86	.00	-9.44	-25.64	-50.08	-277.41
	(400 YDS)	-1.50	2.41	5.46	8.58	7.08	.00	-13.84	-35.92	-253.81
MPBR ZERO	(325 YDS)	-1.50	1.51	3.65	4.96	1.66	-7.23	-22.88	-46.77	-271.88
WIND DRIFT	(10 MPH)	.00	.18	.74	3.10	7.27	13.44	21.88	32.91	111.88
INCHES	(20 MPH)	.00	.37	1.49	6.20	14.54	26.88	43.75	65.82	223.75

MAXIMUM POINT BLANK RANGE IS 370 YARDS. SET ZERO AT 315 YARDS.										
VELOCITY FPS		3200	3057	2920	2657	2419	2195	1986	1789	1164
ENERGY FT-LB		5683	5190	4733	3921	3247	2676	2189	1776	753
DROP INCHES		.00	-.43	-1.79	-7.66	-18.46	-35.21	-59.20	-92.02	-362.95
BULLET PATH	(100 YDS)	-1.50	-.29	.00	-2.58	-10.10	-23.57	-44.27	-73.80	-331.59
INCHES	(200 YDS)	-1.50	.36	1.29	.00	-6.22	-18.40	-37.80	-66.05	-318.66
(ZERO RANGE)	(300 YDS)	-1.50	1.40	3.37	4.15	.00	-10.10	-27.44	-53.61	-297.93
	(400 YDS)	-1.50	2.66	5.89	9.20	7.58	.00	-14.81	-38.45	-272.67
MPBR ZERO	(315 YDS)	-1.50	1.57	3.72	4.85	1.06	-8.70	-25.68	-51.50	-294.41
WIND DRIFT	(10 MPH)	.00	.19	.77	3.23	7.56	13.97	22.76	34.27	116.60
INCHES	(20 MPH)	.00	.38	1.55	6.45	15.12	27.94	45.51	68.54	233.20

MAXIMUM POINT BLANK RANGE IS 360 YARDS. SET ZERO AT 305 YARDS.										
VELOCITY FPS		3100	2961	2826	2570	2339	2121	1915	1721	1130
ENERGY FT-LB		5333	4866	4434	3668	3037	2496	2037	1644	708
DROP INCHES		.00	-.46	-1.90	-8.17	-19.70	-37.60	-63.25	-98.41	-389.75
BULLET PATH	(100 YDS)	-1.50	-.25	.00	-2.86	-10.99	-25.48	-47.73	-79.48	-357.20
INCHES	(200 YDS)	-1.50	.46	1.43	.00	-6.70	-19.76	-40.58	-70.90	-342.90
(ZERO RANGE)	(300 YDS)	-1.50	1.58	3.66	4.46	.00	-10.83	-29.42	-57.50	-320.58
	(400 YDS)	-1.50	2.93	6.37	9.88	8.13	.00	-15.88	-41.25	-293.49
MPBR ZERO	(305 YDS)	-1.50	1.64	3.79	4.71	.37	-10.33	-28.79	-56.76	-319.33
WIND DRIFT	(10 MPH)	.00	.20	.81	3.37	7.87	14.54	23.70	35.74	121.54
INCHES	(20 MPH)	.00	.40	1.61	6.73	15.73	29.08	47.41	71.49	243.08

MAXIMUM POINT BLANK RANGE IS 350 YARDS. SET ZERO AT 295 YARDS.										
VELOCITY FPS		3000	2864	2732	2486	2259	2046	1845	1654	1098
ENERGY FT-LB		4995	4553	4144	3431	2833	2323	1890	1518	669
DROP INCHES		.00	-.49	-2.04	-8.74	-21.07	-40.23	-67.72	-105.46	-419.26
BULLET PATH	(100 YDS)	-1.50	-.22	.00	-3.16	-11.96	-27.59	-51.55	-85.75	-385.41
INCHES	(200 YDS)	-1.50	.57	1.58	.00	-7.22	-21.26	-43.63	-76.25	-369.58
(ZERO RANGE)	(300 YDS)	-1.50	1.77	3.99	4.81	.00	-11.64	-31.61	-61.82	-345.53
	(400 YDS)	-1.50	3.23	6.90	10.63	8.73	.00	-17.06	-44.36	-316.43
MPBR ZERO	(295 YDS)	-1.50	1.71	3.86	4.55	-.40	-12.17	-32.27	-62.62	-346.85
WIND DRIFT	(10 MPH)	.00	.21	.84	3.51	8.19	15.15	24.72	37.34	126.63
INCHES	(20 MPH)	.00	.41	1.69	7.02	16.37	30.29	49.44	74.68	253.26

MAXIMUM POINT BLANK RANGE IS 340 YARDS. SET ZERO AT 290 YARDS.										
VELOCITY FPS		2900	2767	2638	2401	2179	1970	1774	1587	1069
ENERGY FT-LB		4667	4250	3864	3201	2636	2155	1747	1398	634
DROP INCHES		.00	-.52	-2.18	-9.36	-22.58	-43.14	-72.68	-113.31	-452.00

BULLET PATH	(100 YDS)	-1.50	-.18	.00	-3.50	-13.04	-29.92	-55.78	-92.73	-416.70
INCHES	(200 YDS)	-1.50	.69	1.75	.00	-7.79	-22.92	-47.03	-82.23	-399.20
(ZERO RANGE)	(300 YDS)	-1.50	1.99	4.35	5.20	.00	-12.53	-34.05	-66.65	-373.23
	(400 YDS)	-1.50	3.56	7.48	11.46	9.40	.00	-18.38	-47.85	-341.89
MPBR ZERO	(290 YDS)	-1.50	1.85	4.06	4.63	-.85	-13.67	-35.47	-68.36	-376.07
WIND DRIFT	(10 MPH)	.00	.22	.88	3.66	8.53	15.80	25.83	39.10	131.92
INCHES	(20 MPH)	.00	.43	1.76	7.31	17.06	31.61	51.66	78.19	263.84

RANGE	YARDS	MUZZLE	50	100	200	300	400	500	600	1000
-------	-------	--------	----	-----	-----	-----	-----	-----	-----	------

MAXIMUM POINT BLANK RANGE IS 330 YARDS. SET ZERO AT 280 YARDS.

VELOCITY FPS		2800	2670	2546	2316	2099	1895	1702	1522	1042
ENERGY FT-LB		4351	3957	3600	2978	2446	1994	1608	1285	603
DROP INCHES		.00	-.56	-2.34	-10.05	-24.25	-46.36	-78.18	122.04	-488.03
BULLET PATH	(100 YDS)	-1.50	-.14	.00	-3.87	-14.23	-32.50	-60.48	100.50	-451.12
INCHES	(200 YDS)	-1.50	.83	1.93	.00	-8.43	-24.77	-50.81	-88.90	-431.79
(ZERO RANGE)	(300 YDS)	-1.50	2.23	4.74	5.62	.00	-13.53	-36.76	-72.04	-403.69
	(400 YDS)	-1.50	3.92	8.13	12.38	10.15	.00	-19.85	-51.75	-369.87
MPBR ZERO	(280 YDS)	-1.50	1.93	4.13	4.40	-1.83	-15.97	-39.81	-75.70	-409.78
WIND DRIFT	(10 MPH)	.00	.23	.92	3.81	8.89	16.50	27.03	41.00	137.26
INCHES	(20 MPH)	.00	.45	1.85	7.61	17.79	33.01	54.07	81.99	274.51

MAXIMUM POINT BLANK RANGE IS 320 YARDS. SET ZERO AT 270 YARDS.

VELOCITY FPS		2700	2574	2457	2231	2019	1820	1630	1458	1018
ENERGY FT-LB		4046	3678	3350	2763	2264	1840	1476	1180	575
DROP INCHES		.00	-.60	-2.52	-10.81	-26.10	-49.93	-84.29	131.78	-527.60
BULLET PATH	(100 YDS)	-1.50	-.10	.00	-4.27	-15.54	-35.36	-65.71	109.17	-488.93
INCHES	(200 YDS)	-1.50	.97	2.14	.00	-9.14	-26.82	-55.03	-96.36	-467.57
(ZERO RANGE)	(300 YDS)	-1.50	2.50	5.18	6.09	.00	-14.64	-39.80	-78.09	-437.12
	(400 YDS)	-1.50	4.32	8.84	13.41	10.98	.00	-21.51	-56.13	-400.53
MPBR ZERO	(270 YDS)	-1.50	2.01	4.20	4.13	-2.94	-18.56	-44.70	-83.97	-446.92
WIND DRIFT	(10 MPH)	.00	.24	.96	3.95	9.27	17.25	28.33	43.04	142.57
INCHES	(20 MPH)	.00	.48	1.91	7.90	18.53	34.49	56.67	86.07	285.15

MAXIMUM POINT BLANK RANGE IS 310 YARDS. SET ZERO AT 260 YARDS.

VELOCITY FPS		2600	2481	2366	2146	1940	1744	1560	1395	995
ENERGY FT-LB		3751	3418	3109	2558	2089	1689	1351	1081	550
DROP INCHES		.00	-.65	-2.71	-11.64	-28.14	-53.90	-91.13	142.69	-571.18
BULLET PATH	(100 YDS)	-1.50	-.04	.00	-4.72	-17.01	-38.56	-71.57	118.92	-530.57
INCHES	(200 YDS)	-1.50	1.14	2.36	.00	-9.92	-29.11	-59.77	104.76	-506.97
(ZERO RANGE)	(300 YDS)	-1.50	2.79	5.67	6.62	.00	-15.88	-43.23	-84.91	-473.88
	(400 YDS)	-1.50	4.78	9.64	14.56	11.91	.00	-23.38	-61.09	-434.18
MPBR ZERO	(260 YDS)	-1.50	2.09	4.26	3.81	-4.22	-21.50	-50.25	-93.34	-487.94
WIND DRIFT	(10 MPH)	.00	.24	.98	4.10	9.66	18.05	29.75	45.24	147.85
INCHES	(20 MPH)	.00	.48	1.95	8.19	19.32	36.09	59.50	90.48	295.71

MAXIMUM POINT BLANK RANGE IS 295 YARDS. SET ZERO AT 250 YARDS.

VELOCITY FPS		2500	2384	2271	2058	1856	1664	1488	1333	973
ENERGY FT-LB		3468	3155	2864	2350	1913	1538	1229	986	526
DROP INCHES		.00	-.70	-2.94	-12.62	-30.54	-58.59	-99.22	155.61	-621.54
BULLET PATH	(100 YDS)	-1.50	.01	.00	-5.25	-18.74	-42.34	-78.54	130.50	-578.68
INCHES	(200 YDS)	-1.50	1.33	2.63	.00	-10.86	-31.84	-65.41	114.74	-552.42
(ZERO RANGE)	(300 YDS)	-1.50	3.14	6.25	7.24	.00	-17.36	-47.31	-93.02	-516.22
	(400 YDS)	-1.50	5.31	10.59	15.92	13.02	.00	-25.61	-66.98	-472.82
MPBR ZERO	(250 YDS)	-1.50	2.19	4.34	3.43	-5.71	-24.97	-56.82	104.44	-535.25
WIND DRIFT	(10 MPH)	.00	.25	1.04	4.34	10.23	19.14	31.58	47.98	153.67
INCHES	(20 MPH)	.00	.51	2.07	8.67	20.46	38.28	63.16	95.96	307.35

MAXIMUM POINT BLANK RANGE IS 285 YARDS. SET ZERO AT 240 YARDS.

VELOCITY FPS		2400	2287	2177	1969	1772	1586	1418	1273	952
ENERGY FT-LB		3196	2903	2632	2152	1744	1396	1116	900	503
DROP INCHES		.00	-.76	-3.19	-13.73	-33.26	-63.90	108.40	170.25	-676.79
BULLET PATH	(100 YDS)	-1.50	.08	.00	-5.85	-20.69	-46.64	-86.45	143.61	-631.39
INCHES	(200 YDS)	-1.50	1.54	2.92	.00	-11.92	-34.94	-71.83	126.06	-602.14
(ZERO RANGE)	(300 YDS)	-1.50	3.53	6.90	7.94	.00	-19.05	-51.97	102.23	-562.42
	(400 YDS)	-1.50	5.91	11.66	17.47	14.29	.00	-28.16	-73.65	-514.80
MPBR ZERO	(240 YDS)	-1.50	2.29	4.42	2.98	-7.44	-28.97	-64.37	117.11	-587.22
WIND DRIFT	(10 MPH)	.00	.27	1.10	4.59	10.85	20.35	33.57	50.90	159.27
INCHES	(20 MPH)	.00	.54	2.20	9.19	21.70	40.69	67.14	101.80	318.54

MAXIMUM POINT BLANK RANGE IS 280 YARDS. SET ZERO AT 235 YARDS.

VELOCITY FPS		2300	2190	2084	1881	1688	1509	1351	1217	932
ENERGY FT-LB		2936	2662	2410	1964	1581	1264	1013	823	482
DROP INCHES		.00	-.83	-3.48	-14.98	-36.35	-69.95	118.88	186.89	-737.42
BULLET PATH	(100 YDS)	-1.50	.16	.00	-6.53	-22.91	-51.54	-95.49	158.53	-689.14
INCHES	(200 YDS)	-1.50	1.79	3.26	.00	-13.12	-38.48	-79.17	138.94	-656.51
(ZERO RANGE)	(300 YDS)	-1.50	3.97	7.64	8.75	.00	-20.99	-57.30	112.70	-612.77
	(400 YDS)	-1.50	6.60	12.88	19.24	15.74	.00	-31.07	-81.22	-560.30
MPBR ZERO	(235 YDS)	-1.50	2.50	4.69	2.86	-8.83	-32.76	-72.02	130.36	-642.20
WIND DRIFT	(10 MPH)	.00	.28	1.16	4.87	11.54	21.68	35.72	53.99	164.59
INCHES	(20 MPH)	.00	.57	2.33	9.75	23.08	43.35	71.44	107.97	329.18